

**Note: The rates of 4 basic items (bricks, bitumen, cement and MS rod) were revised on 23-02-2023. Please see the latest circular for these items.**

**www.dorpatra.com**


**Local Government Engineering Department**

**Schedule of Rates, 2022**

**List of Basic Items**

| SL No.                                       | Description   | Unit | Unit Rate (Taka)                    |                                      |                                     |                                    |
|--|---|------|-------------------------------------|--------------------------------------|-------------------------------------|------------------------------------|
|  |   |      | Zone-A (Dhaka, Mymensingh Division) | Zone-B (Chattogram, Sylhet Division) | Zone-C (Rajshahi, Rangpur Division) | Zone-D (Khulna, Barishal Division) |
| 1  | 2   | 3    | 4                                   | 5                                    | 6                                   | 7                                  |
| <b>MARK-UPS</b>                              |   |      |                                     |                                      |                                     |                                    |
| A  | Contractor's Profit   |      | 10.00%                              | 10.00%                               | 10.00%                              | 10.00%                             |
| B  | Contractor's Overhead Expenses  |      | 3.50%                               | 3.50%                                | 3.50%                               | 3.50%                              |
| C  | VAT   |      | 7.50%                               | 7.50%                                | 7.50%                               | 7.50%                              |
| <b>1. Labour &amp; Man-Power</b>             |   |      |                                     |                                      |                                     |                                    |
| 1  | Computer Operator   | day  | 588                                 | 588                                  | 588                                 | 588                                |
| 2  | Videographer  | day  | 1200                                | 1200                                 | 1200                                | 1200                               |
| <b>2. Tools, Equipment, Scaffolding etc.</b> |   |      |                                     |                                      |                                     |                                    |
| 3  | Hire Charge (H.C.) of 3 Wheel Static Road roller (8-10 ton) [without fuel & Operator]       | day  | 3500                                | 3500                                 | 3500                                | 3500                               |
| 4  | H.C. of Tripod and Mechanical Winch Machine complete with power unit and accessories        | day  | 3000                                | 3000                                 | 3000                                | 3000                               |
| 5  | H.C. of Garb  | day  | 500                                 | 500                                  | 500                                 | 500                                |
| 6  | H.C. of Flat Body Truck (3 tons)  | day  | 2000                                | 2000                                 | 2000                                | 2000                               |
| 7  | H.C. of Derrick   | day  | 400                                 | 400                                  | 400                                 | 400                                |
| 8  | H.C. of Pulley  | day  | 250                                 | 250                                  | 250                                 | 250                                |
| 9  | H.C. of Bailer  | day  | 300                                 | 300                                  | 300                                 | 300                                |
| 10   | H.C. of Water Sealing Device  | day  | 200                                 | 200                                  | 200                                 | 200                                |
| 11   | H.C. of Casing  | day  | 260                                 | 260                                  | 260                                 | 260                                |
| 12   | H.C. of Driving Equipment   | day  | 350                                 | 350                                  | 350                                 | 350                                |
| 13   | H.C. of Electric Auto Gas Cutter Set  | day  | 500                                 | 500                                  | 500                                 | 500                                |
| 14   | H.C. of Vertical Drill Machine  | day  | 150                                 | 150                                  | 150                                 | 150                                |
| 15   | H.C. of Lathe Machine   | day  | 1000                                | 1000                                 | 1000                                | 1000                               |
| 16   | H.C. of Chain Hoist (3 tons)  | day  | 1000                                | 1000                                 | 1000                                | 1000                               |
| 17   | H.C. of Tripod Stand  | day  | 400                                 | 400                                  | 400                                 | 400                                |
| 18   | H.C. of Chain Pulley (1.5 ton)  | day  | 500                                 | 500                                  | 500                                 | 500                                |
| 19   | H.C. of Load Test Equipment and Accessories including Transportation: 126 - 500 MT capacity | set  | 12500                               | 12500                                | 12500                               | 12500                              |
| 20   | H.C. of Pneumatic Multiple Tired Roller (7 tires, 6-10 tons) [without fuel & Operator]      | day  | 3000                                | 3000                                 | 3000                                | 3000                               |
| 21   | H.C. of P & H Mobile Crane (25 ton)   | day  | 10000                               | 10000                                | 10000                               | 10000                              |
| 22   | H.C. of Mechanical Road Sweeper Broom   | day  | 1000                                | 1000                                 | 1000                                | 1000                               |
| 23   | H.C. of Plate Compactor [without fuel & operator]   | day  | 1000                                | 1000                                 | 1000                                | 1000                               |
| 24   | H.C. of Lister Engine   | day  | 10000                               | 10000                                | 10000                               | 10000                              |
| 25   | H.C. of Mixing Machine for Aggregate  | day  | 8000                                | 8000                                 | 8000                                | 8000                               |
| 26   | H. C. of Dredger  | day  | 13200                               | 13200                                | 13200                               | 13200                              |
| 27   | Pressing Machine  | day  | 3300                                | 3300                                 | 3300                                | 3300                               |
| 28   | H. C. of Thermoplastic Applicator Machine   | day  | 2200                                | 2200                                 | 2200                                | 2200                               |

| SL No. | Description  | Unit       | Unit Rate (Taka)                       |   |  |                                       |
|--------|--|------------|--|---|--|---------------------------------------|
|        |  |            | Zone-A<br>(Dhaka, Mymensingh Division) | Zone-B<br>(Chattogram, Sylhet Division) | Zone-C<br>(Rajshahi, Rangpur Division) | Zone-D<br>(Khulna, Barishal Division) |
| 1      | 2  | 3          | 4                                      | 5                                       | 6                                      | 7                                     |
| 29     | H.C. of Crane for lifting & movement of diesel mounted hammer up to site   | day        | 50000                                  | 50000                                   | 50000                                  | 50000                                 |
| 30     | H.C. of Shotcreting equipment  | hour       | 500                                    | 500                                     | 500                                    | 500                                   |
| 31     | H.C. of MS Plate, MS Angle & I-Beam etc.   | kg         | 18                                     | 18                                      | 18                                     | 18                                    |
| 32     | H.C. of Load Test Equipment and Accessories including Transportation: Above 500 MT Capacity  | set        | 100000                                 | 100000                                  | 100000                                 | 100000                                |
| 33     | H.C. of Concrete Block (Size: 1.0m x 1.0m x 1.0m)  | each/month | 833                                    | 833                                     | 833                                    | 833                                   |
| 34     | Hire and running charges of hydraulic rotary drilling equipment with power unit including 0.8m to 2.5m dia boring attachment and other accessories and shifting at site                                    | day        | 37000                                  | 37000                                   | 37000                                  | 37000                                 |
| 35     | Hire and running charges of light crane for lowering reinforcement cage & operating tremie pipe  | day        | 4500                                   | 4500                                    | 4500                                   | 4500                                  |
| 36     | Hire and running charges of bentonite pump   | day        | 3200                                   | 3200                                    | 3200                                   | 3200                                  |
| 37     | H.C. of Transit Mixer 4.0/4.5 cum capacity including fuel & other related cost   | day        | 10000                                  | 10000                                   | 10000                                  | 10000                                 |
| 38     | H.C. of Generator (100 KVA)  | day        | 3500                                   | 3500                                    | 3500                                   | 3500                                  |
| 39     | H.C. of Truck for carrying Counter Weights of Hydraulic static pile driver   | trip       | 20000                                  | 20000                                   | 20000                                  | 20000                                 |
| 40     | Hire & running charges of Joint cutting machine with 2-3 blades  | day        | 1500                                   | 1500                                    | 1500                                   | 1500                                  |
| 41     | H.C. of Submersible Pump - 3 HP  | day        | 1200                                   | 1200                                    | 1200                                   | 1200                                  |
| 42     | H.C. of Unifloat/ Pontoon  | day        | 1200                                   | 1200                                    | 1200                                   | 1200                                  |
| 43     | H.C. of Tower Crane  | day        | 5000                                   | 5000                                    | 5000                                   | 5000                                  |
| 44     | H.C. of 150mm dia & 4mm thick MS pipe  | m/month    | 65                                     | 65                                      | 65                                     | 65                                    |
| 45     | H.C. of 100mm dia & 4mm thick MS pipe  | m/month    | 45                                     | 45                                      | 45                                     | 45                                    |
| 46     | H.C. of 200mm dia & 6.5mm thick MS pipe  | m/month    | 115                                    | 115                                     | 115                                    | 115                                   |
| 47     | H.C. of Mastic Cooker (1 tonne capacity)   | day        | 3000                                   | 3000                                    | 3000                                   | 3000                                  |
| 48     | H.C. of Sheathing Pipe Machine   | Day        | 2500                                   | 2500                                    | 2500                                   | 2500                                  |
| 49     | H.C. of Stressing Jack with Pump and other accessories   | Day        | 1500                                   | 1500                                    | 1500                                   | 1500                                  |
| 50     | Hire and running charges of Jet Grout Machine with power unit including High-Pressure Jet Grout Pump, Air compressor, mixing plant and other accessories and shifting at site                              | Day        | 20000                                  | 20000                                   | 20000                                  | 20000                                 |
| 51     | Hire and running charges of Skid Mounted Mechanical Table Drive Rotary Boring/ Spindle Type Rotary Drilling Machine with power unit including boring attachment and other accessories and shifting at site | Day        | 20000                                  | 20000                                   | 20000                                  | 20000                                 |
| 52     | Hire and running charges of Crane (Capacity 100 MT)  | day        | 80000                                  | 80000                                   | 80000                                  | 80000                                 |
| 53     | Hire and running charges of Reversible Drum Mixer/ Batch Mix Plant (15 cum/hr)   | day        | 15000                                  | 15000                                   | 15000                                  | 15000                                 |
| 54     | Hire and running charges for horizontal/inclined rock drilling machine (Diameter of Drill Hole = 125mm)  | day        | 20000                                  | 20000                                   | 20000                                  | 20000                                 |
| 55     | Hire & running charges of crane with grab bucket of 0.75 cum capacity and accessories.   | day        | 12000                                  | 12000                                   | 12000                                  | 12000                                 |
| 56     | H.C. of 300 mm dia & 10 mm thick MS pipe   | m/month    | 420                                    | 420                                     | 420                                    | 420                                   |
| 57     | H.C. of Shal wood  | cum        | 12500                                  | 12500                                   | 12500                                  | 12500                                 |

ds  
  
 Page 2

| SL No.               | Description  | Unit  | Unit Rate (Taka)                             |   |  |   |
|----------------------|--|-------|--|---|--|---|
|                      |  |       | Zone-A<br>(Dhaka,<br>Mymensingh<br>Division) | Zone-B<br>(Chattogram,<br>Sylhet<br>Division) | Zone-C<br>(Rajshahi,<br>Rangpur<br>Division) | Zone-D<br>(Khulna,<br>Barishal<br>Division) |
| 1                    | 2  | 3     | 4  | 5   | 6  | 7   |
| <b>3. Road Works</b> |  |       |  |   |  |   |
| 58                   | Sand (FM - 1.0)  | m3    | 750  | 756   | 731  | 731   |
| 59                   | Sand (FM - 1.5)  | m3    | 1100   | 1050  | 1060   | 1075  |
| 60                   | Sand (FM - 2.5)  | m3    | 1900   | 1836  | 1840   | 1861  |
| 61                   | Sand (FM - 2.8)  | m3    | 1900   | 1836  | 1840   | 1861  |
| 62                   | Solid Concrete Bricks of Size (240x110x70)mm to (215x100x70)mm | sqm   | 710  | 710   | 710  | 710   |
| 63                   | 1st Class Picked Brick Bats                                    | m3    | 2350   | 2375  | 2260   | 2300  |
| 64                   | 12mm down graded Brick Chips                                   | m3    | 3485   | 3478  | 3326   | 3388  |
| 65                   | 20mm down graded Brick Chips                                   | m3    | 3341   | 3335  | 3205   | 3265  |
| 66                   | 25mm down graded Brick Chips                                   | cum   | 3300   | 3294  | 3151   | 3210  |
| 67                   | 40mm down graded Brick Chips                                   | m3    | 3149   | 3145  | 3012   | 3071  |
| 68                   | 50mm down graded Brick Chips                                   | m3    | 3082   | 3079  | 2950   | 3007  |
| 69                   | Crushed stone (Louva) chips (38mm down graded)                 | cum   | 3685   | 3740  | 3223   | 3619  |
| 70                   | Stone Chips (12mm down graded) [LAAs25]                        | cum   | 6600   | 6650  | 6130   | 6300  |
| 71                   | Stone Chips (12mm down graded) [LAAs35]                        | cum   | 6100   | 6150  | 5630   | 5800  |
| 72                   | Stone Chips (16mm down graded) [LAAs25]                        | cum   | 7750   | 7850  | 7000   | 7350  |
| 73                   | Stone Chips (16mm down graded)[LAAs30]                         | cum   | 7550   | 7650  | 6700   | 7050  |
| 74                   | Stone Chips (16mm down graded) [LAAs35]                        | cum   | 7050   | 7250  | 6500   | 6850  |
| 75                   | Stone Chips (20mm down graded) [LAAs25]                        | cum   | 8000   | 8200  | 7000   | 7350  |
| 76                   | Stone Chips (20mm down graded) [LAAs35]                        | cum   | 7500   | 7700  | 6500   | 6850  |
| 77                   | Stone Chips (25mm down graded) [LAAs25]                        | cum   | 7900   | 8100  | 7000   | 7250  |
| 78                   | Stone Chips (25mm down graded)[LAAs30]                         | cum   | 7600   | 7800  | 6700   | 6950  |
| 79                   | Stone Chips (25mm down graded) [LAAs35]                        | cum   | 7250   | 7550  | 6500   | 6750  |
| 80                   | Stone Chips (38mm down graded) [LAAs25]                        | cum   | 7650   | 8000  | 6900   | 7200  |
| 81                   | Stone Chips (38mm down graded) [LAAs30]                        | cum   | 7350   | 7700  | 6600   | 6850  |
| 82                   | Stone Chips (38mm down graded) [LAAs35]                        | cum   | 7100   | 7250  | 6300   | 6500  |
| 83                   | Stone Chips (50mm down graded) [LAAs35]                        | cum   | 6900   | 7200  | 6300   | 6500  |
| 84                   | Stone Chips (6mm down graded) [LAAs35]                         | cum   | 5200   | 5200  | 5000   | 5200  |
| 85                   | Bitumen (Drum/Bulk) of Penetration Grade 10/20                 | kg    | 57.2   | 57.2  | 57.2   | 57.2  |
| 86                   | Bitumen [Grade 60/70] (Bulk)                                   | kg    | 63   | 63  | 64   | 64  |
| 87                   | Bitumen [Grade 60/70] (Retail)                                 | kg    | 69   | 69  | 70   | 70  |
| 88                   | Bitumen [Grade 80/100]   | kg    | 65   | 65  | 66   | 66  |
| 89                   | Bitumen Emulsion   | kg    | 100  | 100   | 101  | 101   |
| 90                   | Bitumen hot sealing compound [Grade: A]                        | kg    | 110  | 110   | 110  | 110   |
| 91                   | Diesel   | liter | 80   | 80  | 80   | 80  |
| 92                   | Kerosene   | litre | 80   | 80  | 80   | 80  |
| 93                   | Clay   | cum   | 1188   | 1188  | 1188   | 1188  |
| 94                   | Empty Geo-Bag (Size-900mmX450mm)                               | each  | 95.7   | 95.7  | 95.7   | 95.7  |
| 95                   | Empty Plastic Cement/Fertilizer Bag                            | each  | 11   | 11  | 11   | 11  |

Handwritten signatures and initials in blue ink are present at the bottom of the page, including a large signature on the right and several smaller initials and marks on the left and center.

| SL No. | Description  | Unit           | Unit Rate (Taka)                    |                                      |                                     |                                    |
|--------|--|----------------|-------------------------------------|--------------------------------------|-------------------------------------|------------------------------------|
|        |  |                | Zone-A (Dhaka, Mymensingh Division) | Zone-B (Chattogram, Sylhet Division) | Zone-C (Rajshahi, Rangpur Division) | Zone-D (Khulna, Barishal Division) |
| 1      | 2  | 3              | 4                                   | 5                                    | 6                                   | 7                                  |
| 96     | Jute Geo-Textile (JGT): Double Warp Plain Weave - 627 gsm                          | sqm            | 108.9                               | 108.9                                | 108.9                               | 108.9                              |
| 97     | Jute Geo-Textile (JGT): Double Warp Plain Weave - 724 gsm                          | sqm            | 128.7                               | 128.7                                | 128.7                               | 128.7                              |
| 98     | Jute Geo-Textile (JGT): Natural Additive Treated Double Warp Plain Weave - 627 gsm | sqm            | 152.9                               | 152.9                                | 152.9                               | 152.9                              |
| 99     | Jute Geo-Textile (JGT): Open Mesh Plain Weave (Soil Saver) - 500 gsm               | sqm            | 31.9                                | 31.9                                 | 31.9                                | 31.9                               |
| 100    | Jute Geo-Textile (JGT): Open Mesh Plain Weave (Soil Saver) - 600 gsm               | sqm            | 35.2                                | 35.2                                 | 35.2                                | 35.2                               |
| 101    | Jute Geo-Textile (JGT): Open Mesh Plain Weave (Soil Saver) - 700 gsm               | sqm            | 38.5                                | 38.5                                 | 38.5                                | 38.5                               |
| 102    | Shal/sundari/gazari Bullah (200mm to 250mm)  | m              | 469                                 | 469                                  | 469                                 | 469                                |
| 103    | Ready Mixed Road Marking Paint   | liter          | 669.6                               | 669.6                                | 669.6                               | 669.6                              |
| 104    | 100mm thick Uni-Block 35MPa, Colour-Red/Black/any other Suitable Colour            | each           | 35                                  | 35                                   | 35                                  | 35                                 |
| 105    | 100mm thick Uni-Block 40MPa, Colour-Red/Black/any other Suitable Colour            | each           | 36                                  | 36                                   | 36                                  | 36                                 |
| 106    | 100mm thick Uni-Block 45MPa, Colour-Red/Black/any other Suitable Colour            | each           | 39                                  | 39                                   | 39                                  | 39                                 |
| 107    | 100mm thick Uni-Block, 35MPa, Colour-Gray  | each           | 33                                  | 33                                   | 33                                  | 33                                 |
| 108    | 100mm thick Uni-Block, 40MPa, Colour-Gray  | each           | 34                                  | 34                                   | 34                                  | 34                                 |
| 109    | 100mm thick Uni-Block, 45MPa, Colour-Gray  | each           | 37                                  | 37                                   | 37                                  | 37                                 |
| 110    | 60mm thick Uni-Block 30MPa, Colour-Red/Black/any other Suitable Colour             | each           | 21                                  | 21                                   | 21                                  | 21                                 |
| 111    | 60mm thick Uni-Block 35MPa, Colour-Red/Black/any other Suitable Colour             | each           | 22                                  | 22                                   | 22                                  | 22                                 |
| 112    | 60mm thick Uni-Block, 30MPa, Colour-Gray   | each           | 18.5                                | 18.5                                 | 18.5                                | 18.5                               |
| 113    | 60mm thick Uni-Block, 35MPa, Colour-Gray   | each           | 19.5                                | 19.5                                 | 19.5                                | 19.5                               |
| 114    | 80mm thick Uni-Block 35MPa, Colour-Red/Black/any other Suitable Colour             | each           | 29                                  | 29                                   | 29                                  | 29                                 |
| 115    | 80mm thick Uni-Block 40MPa, Colour-Red/Black/any other Suitable Colour             | each           | 30                                  | 30                                   | 30                                  | 30                                 |
| 116    | 80mm thick Uni-Block, 35MPa, Colour-Gray   | each           | 26                                  | 26                                   | 26                                  | 26                                 |
| 117    | Portland Composite Cement (BDS EN 197-1:2003 CEM-II/B-V) [Retail]                  | bag            | 450                                 | 450                                  | 450                                 | 440                                |
| 118    | Reflectorized paint  | liter          | 2750                                | 2780.8                               | 2780.8                              | 2780.8                             |
| 119    | Thermoplastic Compound   | kg             | 133.5                               | 133.5                                | 133.5                               | 133.5                              |
| 120    | Reflectorising Glass Beads   | kg             | 133.5                               | 133.5                                | 133.5                               | 133.5                              |
| 121    | Dredging & Carrying Cost of Earth  | hr.            | 2200                                | 2200                                 | 2200                                | 2200                               |
| 122    | Local Sand (Sieve # 200 passing not more than 15%)                                 | m <sup>3</sup> | 462                                 | 418                                  | 407                                 | 450                                |

| SL No.                         | Description   | Unit | Unit Rate (Taka)                    |                                      |                                     |                                    |
|--------------------------------|---|------|-------------------------------------|--------------------------------------|-------------------------------------|------------------------------------|
|                                |   |      | Zone-A (Dhaka, Mymensingh Division) | Zone-B (Chattogram, Sylhet Division) | Zone-C (Rajshahi, Rangpur Division) | Zone-D (Khulna, Barishal Division) |
| 1                              | 2   | 3    | 4                                   | 5                                    | 6                                   | 7                                  |
| <b>4. Bridge/Culvert Works</b> |   |      |                                     |                                      |                                     |                                    |
| 123                            | 100mm dia MS pipe and wall thickness 4mm              | m    | 1430                                | 1430                                 | 1430                                | 1430                               |
| 124                            | 200mm dia. MS pipe and wall thickness 6.5mm           | m    | 3861                                | 3861                                 | 3861                                | 3861                               |
| 125                            | 25mm dia. MS pipe and wall thickness 2.90mm           | m    | 270.6                               | 270.6                                | 270.6                               | 270.6                              |
| 126                            | 300mm dia MS pipe and wall thickness 10 mm            | m    | 7183                                | 7183                                 | 7183                                | 7183                               |
| 127                            | 4mm thick 150mm dia MS pipe-5mm thick                 | m    | 2886.4                              | 2886.4                               | 2886.4                              | 2886.4                             |
| 128                            | 50mm dia. MS pipe and wall thickness 4.00mm           | m    | 587.4                               | 587.4                                | 587.4                               | 587.4                              |
| 129                            | 5mm thick 200mm dia MS pipe-6.5mm thick               | m    | 3968.8                              | 3968.8                               | 3968.8                              | 3968.8                             |
| 130                            | 5mm thick 250mm dia MS pipe-7mm thick                 | m    | 5412                                | 5412                                 | 5412                                | 5412                               |
| 131                            | 6mm thick 300mm dia MS pipe-8mmthick                  | m    | 6314                                | 6314                                 | 6314                                | 6314                               |
| 132                            | 75mm dia. MS pipe and wall thickness 4.00mm           | m    | 981.2                               | 981.2                                | 981.2                               | 981.2                              |
| 133                            | 75mm dia. MS pipe and wall thickness 4mm              | m    | 858                                 | 858                                  | 858                                 | 858                                |
| 134                            | MS Pipe (400mm internal dia with 6mm wall thickness)  | m    | 7854                                | 7854                                 | 7854                                | 7854                               |
| 135                            | MS Pipe (450mm internal dia. with 6mm wall thickness) | m    | 10798.7                             | 10798.7                              | 10798.7                             | 10798.7                            |
| 136                            | MS Pipe (50mm dia, 2.35mm thick)                      | m    | 447.7                               | 447.7                                | 447.7                               | 447.7                              |
| 137                            | MS Pipe (600mm internal dia. With 7mm wall thickness) | m    | 14437.5                             | 14437.5                              | 14437.5                             | 14437.5                            |
| 138                            | MS Pipe 200mm dia Tee                                 | each | 5500                                | 5500                                 | 5500                                | 5500                               |
| 139                            | Corrugated brass angle                                | kg   | 285                                 | 285                                  | 285                                 | 285                                |
| 140                            | MS flat bar clamp(175x38x6mm)                         | kg   | 71.5                                | 71.5                                 | 71.5                                | 71.5                               |
| 141                            | MS Rail   | kg   | 71.5                                | 71.5                                 | 71.5                                | 71.5                               |
| 142                            | 10mm Thick MS Casing (1000mm dia)                     | m    | 22800                               | 22800                                | 22800                               | 22800                              |
| 143                            | 10mm Thick MS Casing (1200mm dia)                     | m    | 27340                               | 27340                                | 27340                               | 27340                              |
| 144                            | 12mm Thick MS Casing (1500mm dia)                     | m    | 41000                               | 41000                                | 41000                               | 41000                              |
| 145                            | 12mm Thick MS Casing (1800mm dia)                     | m    | 49170                               | 49170                                | 49170                               | 49170                              |
| 146                            | 16mm Thick MS Casing (2000mm dia)                     | m    | 72900                               | 72900                                | 72900                               | 72900                              |
| 147                            | 20mm Thick MS Casing (2500mm dia)                     | m    | 113900                              | 113900                               | 113900                              | 113900                             |
| 148                            | 6mm Thick MS Casing (400mm dia)                       | m    | 5320                                | 5320                                 | 5320                                | 5320                               |
| 149                            | 6mm Thick MS Casing (500mm dia)                       | m    | 6830                                | 6830                                 | 6830                                | 6830                               |
| 150                            | 6mm Thick MS Casing (600mm dia)                       | m    | 8210                                | 8210                                 | 8210                                | 8210                               |
| 151                            | 6mm Thick MS Casing (700mm dia)                       | m    | 9570                                | 9570                                 | 9570                                | 9570                               |
| 152                            | 8mm Thick MS Casing (800mm dia)                       | m    | 14600                               | 14600                                | 14600                               | 14600                              |
| 153                            | 8mm Thick MS Casing (900mm dia)                       | m    | 16410                               | 16410                                | 16410                               | 16410                              |
| 154                            | MS Plate Bearing (beyond 25mm thick)                  | kg   | 80                                  | 80                                   | 80                                  | 80                                 |
| 155                            | MS Plate Bearing (upto 25mm thick)                    | kg   | 80                                  | 80                                   | 80                                  | 80                                 |
| 156                            | MS Shoe Plate (250x375x10mm)                          | kg   | 80                                  | 80                                   | 80                                  | 80                                 |
| 157                            | CI Cap (double headed)                                | each | 2000                                | 2000                                 | 2000                                | 2000                               |
| 158                            | CI Cap (single headed)                                | each | 1800                                | 1800                                 | 1800                                | 1800                               |
| 159                            | Roller Bearing (150mm dia)                            | kg   | 130                                 | 130                                  | 130                                 | 130                                |
| 160                            | Roller Bearing (beyond 150mm dia)                     | kg   | 155                                 | 155                                  | 155                                 | 155                                |

Handwritten signatures and initials in blue and black ink are present at the bottom of the page, including 'AA', 'B', 'A', 'RR', 'L', 'S', 'M', 'W', 'H', and 'M'.

| SL No. | Description   | Unit         | Unit Rate (Taka)                    |                                      |                                     |                                    |
|--------|---|--------------|-------------------------------------|--------------------------------------|-------------------------------------|------------------------------------|
|        |   |              | Zone-A (Dhaka, Mymensingh Division) | Zone-B (Chattogram, Sylhet Division) | Zone-C (Rajshahi, Rangpur Division) | Zone-D (Khulna, Barishal Division) |
| 1      | 2   | 3            | 4                                   | 5                                    | 6                                   | 7                                  |
| 161    | Tapered Roller Bearing (SKF No-50216)   | each         | 1700                                | 1700                                 | 1700                                | 1700                               |
| 162    | Hinge Plate Bearing (25mm dia)  | kg           | 300                                 | 300                                  | 300                                 | 300                                |
| 163    | Hinge Plate Bearing (beyond 25mm dia)   | kg           | 340                                 | 340                                  | 340                                 | 340                                |
| 164    | Elastomeric/Neoprene Bearing  | cm3          | 1.9                                 | 1.9                                  | 1.9                                 | 1.9                                |
| 165    | RHT: Mobilization, demobilization & accomodation including 10 nos. RHT (Rebound Hammer Test)  | within 100km | 11000                               | 11000                                | 11000                               | 11000                              |
| 166    | RHT/UPV: Beyond 100km from Dhaka  | per km       | 27.5                                | 27.5                                 | 27.5                                | 27.5                               |
| 167    | RHT: per impact after 1st 10 RHT  | each         | 1100                                | 1100                                 | 1100                                | 1100                               |
| 168    | UPV: Mobilization, demobilization & accomodation including 10 nos. UPV (Ultrasonic Pulse Velocity) Test   | within 100km | 16500                               | 16500                                | 16500                               | 16500                              |
| 169    | UPV: per test after 1st 10 UPV  | each         | 1650                                | 1650                                 | 1650                                | 1650                               |
| 170    | Mobilization, demobilization & accomodation including 3 nos. in-situ core cutting & testing   | within 100km | 17600                               | 17600                                | 17600                               | 17600                              |
| 171    | Lead Sheet  | kg           | 360                                 | 360                                  | 360                                 | 360                                |
| 172    | Copper folded water stop sheet  | m2           | 910                                 | 910                                  | 910                                 | 910                                |
| 173    | Mastic or bituminous sealing  | m            | 95                                  | 95                                   | 95                                  | 95                                 |
| 174    | Wire Rope   | m            | 18                                  | 18                                   | 18                                  | 18                                 |
| 175    | Jute Rope   | kg           | 132                                 | 132                                  | 132                                 | 132                                |
| 176    | Nylon Rope  | kg           | 154                                 | 154                                  | 154                                 | 154                                |
| 177    | 6mm thick 150mm dia MS cap (best quality)   | each         | 1127.5                              | 1127.5                               | 1127.5                              | 1127.5                             |
| 178    | 6mm thick 200mm dia MS cap (best quality)   | each         | 1850.2                              | 1850.2                               | 1850.2                              | 1850.2                             |
| 179    | 6mm thick 350mm dia MS cap (best quality)   | each         | 4752                                | 4752                                 | 4752                                | 4752                               |
| 180    | High Yield strength wire  | kg           | 220                                 | 220                                  | 220                                 | 220                                |
| 181    | Supply of complete assembly of strip seal expansion joint comprising of edge beams, anchorage, strip seal element and complete accessories as per approved specifications and drawings. | m            | 33660                               | 33660                                | 33660                               | 33660                              |
| 182    | Corrugated sheet, 3 mm thick, "W" beam section railing  | kg           | 165                                 | 165                                  | 165                                 | 165                                |
| 183    | Channel post 150 x 75 x 5 mm, 1.8 long  | kg           | 132                                 | 132                                  | 132                                 | 132                                |
| 184    | Spacer 150 x 75 x 5 mm channel 0.33 m long,   | kg           | 132                                 | 132                                  | 132                                 | 132                                |
| 185    | Double Headed/ Flat Footed EI Rail  | kg           | 82.5                                | 82.5                                 | 82.5                                | 82.5                               |
| 186    | H.T. Strand   | MT           | 152350                              | 152350                               | 152350                              | 152350                             |
| 187    | Corrugated Galvanized Steel Sheathing Duct  | m            | 180                                 | 180                                  | 180                                 | 180                                |
| 188    | Stackyard Rent  | m3           | 7                                   | 7                                    | 7                                   | 7                                  |
| 189    | Mobilization, demobilization, arrangement of plates for loading   | each         | 7850                                | 7850                                 | 7850                                | 7850                               |
| 190    | Cold Galvanizing Compound with thinner, binder and resin  | kg           | 5600                                | 5600                                 | 5600                                | 5600                               |
| 191    | Rust & Paint Removing Solution  | liter        | 435                                 | 435                                  | 435                                 | 435                                |
| 192    | 100mm x 100mm MS box and wall thickness 8mm   | m            | 2447.5                              | 2447.5                               | 2447.5                              | 2447.5                             |
| 193    | 125mm x 125mm MS box and wall thickness 10mm  | m            | 3685                                | 3685                                 | 3685                                | 3685                               |
| 194    | 125mm x 125mm MS box and wall thickness 8mm   | m            | 3025                                | 3025                                 | 3025                                | 3025                               |
| 195    | 150mm x 150mm MS box and wall thickness 10mm  | m            | 4345                                | 4345                                 | 4345                                | 4345                               |

Handwritten signatures and initials in blue ink are present at the bottom of the page, including a large signature on the left and several smaller initials and marks scattered across the bottom right area.

| Sl No. | Description  | Unit   | Unit Rate (Taka)                             |   |  |   |
|--------|--|--------|--|---|--|---|
|        |  |        | Zone-A<br>(Dhaka,<br>Mymensingh<br>Division) | Zone-B<br>(Chattogram,<br>Sylhet<br>Division) | Zone-C<br>(Rajshahi,<br>Rangpur<br>Division) | Zone-D<br>(Khulna,<br>Barishal<br>Division) |
| 1      | 2  | 3      | 4  | 5   | 6  | 7   |
| 196    | 150mm x 150mm MS box and wall thickness 8mm  | m      | 3542   | 3542  | 3542   | 3542  |
| 197    | 25mm x 25mm MS box and wall thickness 4mm  | m      | 385  | 385   | 385  | 385   |
| 198    | 25mmx25mmx1.5mm MS square box  | m      | 121  | 121   | 121  | 121   |
| 199    | 40mm x 40mm MS box and wall thickness 4mm  | m      | 522.5  | 522.5   | 522.5  | 522.5                                       |
| 200    | 40mmx40mmx2mm MS square box  | m      | 209  | 209   | 209  | 209   |
| 201    | 50mm x 50mm MS box and wall thickness 6mm  | m      | 957  | 957   | 957  | 957   |
| 202    | 62.5mm x 62.5mm MS box and wall thickness 6mm  | m      | 1155   | 1155  | 1155   | 1155  |
| 203    | 62mmx150mmx1.5mm MS box  | kg     | 104.5  | 104.5   | 104.5  | 104.5                                       |
| 204    | 75mm x 75mm MS box and wall thickness 8mm  | m      | 1892   | 1892  | 1892   | 1892  |
| 205    | MS square box 25mmx25mmx4mm size   | kg     | 93.5   | 93.5  | 93.5   | 93.5  |
| 206    | MS square box 40mmx40mmx4mm size   | kg     | 93.5   | 93.5  | 93.5   | 93.5  |
| 207    | Aluminium V-folded water stop sheet  | m2     | 730  | 730   | 730  | 730   |
| 208    | Carbon Fibre fabric sheet  | sqm    | 6800   | 6800  | 6800   | 6800  |
| 209    | Cork/ Polystyrene Sheet (20mm thick)   | sqm    | 165  | 165   | 165  | 165   |
| 210    | Cork/ Polystyrene Sheet (25mm thick)   | sqm    | 175  | 175   | 175  | 175   |
| 211    | Retro-Reflecting Sheet   | sqm    | 2450   | 2450  | 2450   | 2450  |
| 212    | Chequer Plate (thickness 6mm)  | sqm    | 121  | 121   | 121  | 121   |
| 213    | Core Cutter: Beyond 100km from Dhaka   | per km | 38.5   | 38.5  | 38.5   | 38.5  |
| 214    | Core Cutter: per core after 1st 3 cores  | each   | 4620   | 4620  | 4620   | 4620  |
| 215    | Modular strip expansion joint comprising of edge beams, central beam, 2 modules chloroprene seal, anchorage elements, support and control system, all steel sections protected against corrosion and installed by the manufacturer (+80 to 160mm)  | m      | 166000                                       | 166000  | 166000                                       | 166000                                      |
| 216    | Modular strip expansion joint comprising of edge beams, central beam, 2 modules chloroprene seal, anchorage elements, support and control system, all steel sections protected against corrosion and installed by the manufacturer (+160 to 240mm) | m      | 248000                                       | 248000  | 248000                                       | 248000                                      |
| 217    | Epoxy compound with accessories for preparing epoxy mortar   | kg     | 550  | 550   | 550  | 550   |
| 218    | Epoxy mortar   | kg     | 302.5  | 302.5   | 302.5  | 302.5                                       |

Handwritten notes and signatures in blue ink are present below the table. The notes include various symbols, arrows, and illegible text, possibly indicating corrections or specific instructions related to the data in the table. There are several large, stylized signatures or initials scattered across the page, including one that appears to be 'M' and another that looks like 'fu'.

| SL No. | Description   | Unit  | Unit Rate (Taka)                    |                                      |                                     |                                    |
|--------|---|-------|-------------------------------------|--------------------------------------|-------------------------------------|------------------------------------|
|        |   |       | Zone-A (Dhaka, Mymensingh Division) | Zone-B (Chattogram, Sylhet Division) | Zone-C (Rajshahi, Rangpur Division) | Zone-D (Khulna, Barishal Division) |
| 1      | 2   | 3     | 4                                   | 5                                    | 6                                   | 7                                  |
| 219    | Epoxy resin-hardner mix for prime/seal coat conforming to ASTM C 881/ AASHTO M 235  | kg    | 863.5                               | 863.5                                | 863.5                               | 863.5                              |
| 220    | Acrylic Polymer Bonding Agent   | liter | 176                                 | 176                                  | 176                                 | 176                                |
| 221    | Pre-packed cement based polymer mortar of strength 45 Mpa at 28 days  | kg    | 176                                 | 176                                  | 176                                 | 176                                |
| 222    | Quick Setting Compound  | Kg    | 110                                 | 110                                  | 110                                 | 110                                |
| 223    | Reinforcement strips 60 mm wide 5 mm thick Aluminium strips   | m     | 440                                 | 440                                  | 440                                 | 440                                |
| 224    | Reinforcement strips 60 mm wide 5 mm thick Copper Strips  | m     | 880                                 | 880                                  | 880                                 | 880                                |
| 225    | Reinforcement strips 60 mm wide 5 mm thick Galvanised carbon steel strips   | m     | 880                                 | 880                                  | 880                                 | 880                                |
| 226    | Reinforcement strips 60 mm wide 5 mm thick Glass reinforced polymer/ fibre reinforced polymer/ polymeric strips   | m     | 880                                 | 880                                  | 880                                 | 880                                |
| 227    | Reinforcement strips 60 mm wide 5 mm thick Stainless steel strips   | m     | 440                                 | 440                                  | 440                                 | 440                                |
| 228    | Synthetic Geogrids as per approved design and specifications  | sqm   | 198                                 | 198                                  | 198                                 | 198                                |
| 229    | MS pipe driving in river bed and removal  | m     | 270                                 | 270                                  | 270                                 | 270                                |
| 230    | Artificial Casing Preparation   | sqm   | 387.2                               | 387.2                                | 387.2                               | 387.2                              |
| 231    | Pot type bearing assembly consisting of a metal piston supported by a disc, PTFE pads providing sliding surfaces against stainless steel mating together with fabricated structural steel assemblies duly painted with all components - Guided/ Free Type | MT    | 620                                 | 620                                  | 620                                 | 620                                |
| 232    | Perforated geosynthetic pipe 150 mm dia   | m     | 130                                 | 130                                  | 130                                 | 130                                |
| 233    | Corrosion resistant Structural steel conforming to ASTM A 36  | kg    | 80                                  | 80                                   | 80                                  | 80                                 |
| 234    | Prefabricated Vertical Jute Drain (PVJD) - Jute sheath with coir wick   | m     | 137.5                               | 137.5                                | 137.5                               | 137.5                              |
| 235    | GI bolt 10mm diameter   | each  | 22                                  | 22                                   | 22                                  | 22                                 |
| 236    | Erection at site, shifting from river bank to pier location including cost of consumable materials (i.e., electrode, LP, Oxygen etc.), welding machine, grinding machine & manpower   | kg    | 30                                  | 30                                   | 30                                  | 30                                 |
| 237    | Removal of Cofferdam materials after completion of pier shaft above water level   | kg    | 8.5                                 | 8.5                                  | 8.5                                 | 8.5                                |
| 238    | 100mm dia. Stainless Steel pipe and wall thickness 3.00mm   | m     | 2695                                | 2695                                 | 2695                                | 2695                               |
| 239    | 125mm dia. Stainless Steel pipe and wall thickness 3.00mm   | m     | 3520                                | 3520                                 | 3520                                | 3520                               |
| 240    | 38mm dia. Stainless Steel pipe and wall thickness 2.50mm  | m     | 781                                 | 781                                  | 781                                 | 781                                |
| 241    | 50mm dia. Stainless Steel pipe and wall thickness 2.50mm  | m     | 1056                                | 1056                                 | 1056                                | 1056                               |
| 242    | 62.5mm dia. Stainless Steel pipe and wall thickness 3.00mm  | m     | 1595                                | 1595                                 | 1595                                | 1595                               |
| 243    | 75mm dia. Stainless Steel pipe and wall thickness 3.00mm  | m     | 1870                                | 1870                                 | 1870                                | 1870                               |



| SL No. | Description  | Unit      | Unit Rate (Taka)                             |   |  |   |
|--------|--|-----------|--|---|--|---|
|        |  |           | Zone-A<br>(Dhaka,<br>Mymensingh<br>Division) | Zone-B<br>(Chattogram,<br>Sylhet<br>Division) | Zone-C<br>(Rajshahi,<br>Rangpur<br>Division) | Zone-D<br>(Khulna,<br>Barishal<br>Division) |
| 1      | 2  | 3         | 4  | 5   | 6  | 7   |
| 244    | SS pipe 20mm dia (1mm thick)   | m         | 137.5  | 137.5   | 137.5  | 137.5                                       |
| 245    | Stainless Steel pipe 40 mm dia 2.50mm thick  | m         | 495  | 495   | 495  | 495   |
| 246    | 100mm x 50mm Stainless Steel box and wall thickness 2.00mm   | m         | 1941.5                                       | 1941.5  | 1941.5                                       | 1941.5                                      |
| 247    | 25mm x 25mm Stainless Steel box and wall thickness 2.00mm  | m         | 627  | 627   | 627  | 627   |
| 248    | 32mm x 32mm Stainless Steel box and wall thickness 1.50mm  | m         | 610.5  | 610.5   | 610.5  | 610.5                                       |
| 249    | 38mm x 38mm Stainless Steel box and wall thickness 2.50mm  | m         | 1006.5                                       | 1006.5  | 1006.5                                       | 1006.5                                      |
| 250    | 50mm x 25mm Stainless Steel box and wall thickness 1.50mm  | m         | 748  | 748   | 748  | 748   |
| 251    | 50mm x 50mm Stainless Steel box and wall thickness 2.00mm  | m         | 1265   | 1265  | 1265   | 1265  |
| 252    | 62.5mm x 62.5mm Stainless Steel box and wall thickness 2.00mm  | m         | 1644.5                                       | 1644.5  | 1644.5                                       | 1644.5                                      |
| 253    | 75mm x 25mm Stainless Steel box and wall thickness 1.50mm  | m         | 1001   | 1001  | 1001   | 1001  |
| 254    | 75mm x 50mm Stainless Steel box and wall thickness 2.00mm  | m         | 1545.5                                       | 1545.5  | 1545.5                                       | 1545.5                                      |
| 255    | Materials cost for PIT   | each      | 4550   | 4550  | 4550   | 4550  |
| 256    | Unbonded Monostrand  | MT        | 155000                                       | 155000  | 155000                                       | 155000                                      |
| 257    | Fusion Bonded Epoxy Coating (FBEC) to Reinforcing Bar as per ASTM A775 (Average rate for bars of 8mm to 12mm)  | kg        | 10   | 10  | 10   | 10  |
| 258    | Epoxy resin based anchoring mortar for fixing heavy loads  | Cartridge | 2970   | 2970  | 2970   | 2970  |
| 259    | Monostrand Steel Anchorage (1K13/ 1T13)  | set       | 920  | 920   | 920  | 920   |
| 260    | Construction Water   | KL        | 500  | 500   | 500  | 500   |
| 261    | CSL: Mobilization, demobilization & accomodation including 4 nos. CSL (Crosshole Sonic Logging)  | set       | 215000                                       | 215000  | 215000                                       | 215000                                      |
| 262    | PIT/ CSL: Beyond 100km from Dhaka  | per km    | 38.5   | 38.5  | 38.5   | 38.5  |
| 263    | CSL: per CSL after 1st 4 nos. CSL  | each      | 44000  | 44000   | 44000  | 44000                                       |
| 264    | Pot type bearing assembly consisting of a metal piston supported by a disc, PTFE pads providing sliding surfaces against stainless steel mating together with fabricated structural steel assemblies duly painted with all components - Fixed Type | MT        | 450  | 450   | 450  | 450   |
| 265    | Water based Concrete Curing Compound conforming to ASTM C 309/ AASHTO M 148  | Liter     | 440  | 440   | 440  | 440   |
| 266    | C.I. Shoes for the pile  | kg        | 82.5   | 82.5  | 82.5   | 82.5  |
| 267    | M.S. Clamps for Shoe   | kg        | 93.5   | 93.5  | 93.5   | 93.5  |
| 268    | Steel Helmet and Cushion block on top of casing head during driving  | kg        | 80   | 80  | 80   | 80  |
| 269    | Lateral load testing of single pile in accordance with ASTM D 3966 for determining safe allowable lateral load on pile. Upto 50 ton capacity   | Per Test  | 27000  | 27000   | 27000  | 27000                                       |

Handwritten signatures and initials in blue ink, including 'AA', 'A', 'RAS', 'S', 'M', 'R', 'W', and 'Ruh'.

| SL No. | Description   | Unit     | Unit Rate (Taka)                             |   |  |   |
|--------|---|----------|--|---|--|---|
|        |   |          | Zone-A<br>(Dhaka,<br>Mymensingh<br>Division) | Zone-B<br>(Chattogram,<br>Sylhet<br>Division) | Zone-C<br>(Rajshahi,<br>Rangpur<br>Division) | Zone-D<br>(Khulna,<br>Barishal<br>Division) |
| 1      | 2   | 3        | 4  | 5   | 6  | 7   |
| 270    | Lateral load testing of single pile in accordance with ASTM D 3966 for determining safe allowable lateral load on pile. Above 50 ton capacity   | Per Test | 41000  | 41000   | 41000  | 41000                                       |
| 271    | Anchorage of 27K13/ 27T13 System  | Set      | 12870  | 12870   | 12870  | 12870                                       |
| 272    | Anchorage of 27K15/ 27T15 System  | Set      | 15730  | 15730   | 15730  | 15730                                       |
| 273    | Anchorage of 37K13/ 37T13 System  | Set      | 17160  | 17160   | 17160  | 17160                                       |
| 274    | Anchorage of 37K15/ 37T15 System  | Set      | 17875  | 17875   | 17875  | 17875                                       |
| 275    | Anchorage of 4K13/ 4T13 System  | Set      | 3850   | 3850  | 3850   | 3850  |
| 276    | Anchorage of 4K15/ 4T15 System  | Set      | 5005   | 5005  | 5005   | 5005  |
| 277    | Digital Topographical Survey & Collection of Hydraulic Data including equipment & transportation  | km2      | 22000  | 22000   | 22000  | 22000                                       |
| 278    | Digital Topographical Survey of Single Lane Road Alignment including equipment & transportation   | km       | 16500  | 16500   | 16500  | 16500                                       |
| 279    | Hot-dip Galvanizing in accordance with BS EN ISO 1461: 1999 with minimum coat thickness of 85 microns or 610 gm per square meter  | kg       | 71   | 71  | 71   | 71  |
| 280    | Limestone Powder  | kg       | 13   | 13  | 13   | 13  |
| 281    | Monostrand Steel Anchorage (1K15/ 1T15)   | each     | 1200   | 1200  | 1200   | 1200  |
| 282    | Silica Fume in accordance with ASTM C 1240  | kg       | 34.5   | 34.5  | 34.5   | 34.5  |
| 283    | Spherical type bearing assembly consisting of a metal piston supported by a disc, PTFE pads providing sliding surfaces against stainless steel mating together with fabricated structural steel assemblies duly painted with all components | MT       | 900  | 900   | 900  | 900   |
| 284    | Fusion Bonded Epoxy Coating (FBEC) to Reinforcing Bar as per ASTM A775 (Average rate for bars of 16mm to 50mm)  | kg       | 8.5  | 8.5   | 8.5  | 8.5   |
| 285    | Shock Transmission Unit (For Horizontal Load <= 50 MT)  | MT       | 28000  | 28000   | 28000  | 28000                                       |
| 286    | Shock Transmission Unit (For Horizontal Load >= 50 MT)  | MT       | 21000  | 21000   | 21000  | 21000                                       |
| 287    | Coupler (Min. Outer diameter 82mm & Length 300mm) including wastage 2% & carrying   | each     | 485  | 485   | 485  | 485   |
| 288    | Dust suppression measures   | km       | 2100   | 2100  | 2100   | 2100  |
| 289    | Temporary Toilet Facility at site   | each     | 10500  | 10500   | 10500  | 10500                                       |
| 290    | Waste Disposal Facility   | each     | 10500  | 10500   | 10500  | 10500                                       |
| 291    | CCB-C40: Concrete Cover Block with (Circular) 40 mm clear cover facility for Spiral Column, RCC Wall etc.   | Nos.     | 11   | 11  | 11   | 11  |
| 292    | CCB-C75: Concrete Cover Block with (Circular) 75 mm clear cover facility for Piling Work  | Nos.     | 33   | 33  | 33   | 33  |
| 293    | CCB-L40: Concrete Cover Block with (L-Shape) 40 mm clear cover facility for Beam/ Column Construction   | Nos.     | 11   | 11  | 11   | 11  |
| 294    | CCB-M100/110: Concrete Cover Block with 100/110 mm clear cover facility for top layer of slab reinforcement   | Nos.     | 16.5   | 16.5  | 16.5   | 16.5  |
| 295    | CCB-M20/25: Concrete Cover Block with 20/25 mm clear cover facility for Slab, Stair etc.  | Nos.     | 2.5  | 2.5   | 2.5  | 2.5   |

Handwritten signatures and initials are present at the bottom of the page, including a large signature on the left and several smaller ones scattered across the bottom right.

| Sl. No. | Description  | Unit | Unit Rate (Taka)                             |   |  |   |
|---------|--|------|--|---|--|---|
|         |  |      | Zone-A<br>(Dhaka,<br>Mymensingh<br>Division) | Zone-B<br>(Chattogram,<br>Sylhet<br>Division) | Zone-C<br>(Rajshahi,<br>Rangpur<br>Division) | Zone-D<br>(Khulna,<br>Barishal<br>Division) |
| 1       | 2  | 3    | 4  | 5   | 6  | 7   |
| 296     | CCB-M35/40: Concrete Cover Block with 35/40 mm clear cover facility for Beam, column, RCC Wall, Girder, Pier etc.  | Nos. | 6.5  | 6.5   | 6.5  | 6.5   |
| 297     | CCB-M45/50: Concrete Cover Block with 45/50 mm clear cover facility for Beam, Column, RCC Wall, Girder, Pier etc.  | Nos. | 8  | 8   | 8  | 8   |
| 298     | CCB-M60/65/75/80: Concrete Cover Block with 60/65/75/80 mm clear cover facility for Sub-structure, footing/ foundation, column, beam etc.  | Nos. | 13   | 13  | 13   | 13  |
| 299     | Finger expansion joint including all necessary components, all steel sections protected against corrosion and installed by the manufacturer ( up to 100mm) [Without Elastic Seal]    | m    | 149000                                       | 149000  | 149000                                       | 149000                                      |
| 300     | Finger expansion joint including all necessary components, all steel sections protected against corrosion and installed by the manufacturer ( up to 100mm) [With Elastic Seal]       | m    | 284000                                       | 284000  | 284000                                       | 284000                                      |
| 301     | Finger expansion joint including all necessary components, all steel sections protected against corrosion and installed by the manufacturer ( 100mm to 200mm) [Without Elastic Seal] | m    | 231000                                       | 231000  | 231000                                       | 231000                                      |
| 302     | Finger expansion joint including all necessary components, all steel sections protected against corrosion and installed by the manufacturer ( 100mm to 200mm) [With Elastic Seal]    | m    | 462000                                       | 462000  | 462000                                       | 462000                                      |
| 303     | Finger expansion joint including all necessary components, all steel sections protected against corrosion and installed by the manufacturer ( 200 to 300mm) [Without Elastic Seal]   | m    | 470000                                       | 470000  | 470000                                       | 470000                                      |
| 304     | Finger expansion joint including all necessary components, all steel sections protected against corrosion and installed by the manufacturer ( 200 to 300mm) [With Elastic Seal]      | m    | 924000                                       | 924000  | 924000                                       | 924000                                      |
| 305     | HDRB: High Damping Rubber Bearing assembly duly painted with all components  | MT   | 720  | 720   | 720  | 720   |
| 306     | DB: Disk Bearing assembly with duly painted with all components  | MT   | 1260   | 1260  | 1260   | 1260  |
| 307     | Test fee for Elastomeric/ Neoprene bearings  | each | 27800  | 27800   | 27800  | 27800                                       |
| 308     | Test fee for Anchorage of Multi-Strand System  | set  | 99000  | 99000   | 99000  | 99000                                       |
| 309     | Fitting, fixing, erection, removing and welding of MS angle, Plate, Nut Bolt, Stifinner, I-Beam including Labour Cost etc.   | kg   | 65   | 65  | 65   | 65  |
| 310     | Padlo  | kg   | 125  | 125   | 125  | 125   |
| 311     | Cement Paint   | kg   | 85   | 85  | 85   | 85  |
| 312     | Pre-packed high performance cementitious Polymer materials   | kg   | 270  | 270   | 270  | 270   |
| 313     | Hire Charge of Structural Steel Sections/ U-Type Hot rolled sheet Pile   | kg   | 20.7   | 20.7  | 20.7   | 20.7  |
| 314     | Flexible median marker, yellow color with ABS body material of standard size   | each | 250  | 250   | 250  | 250   |
| 315     | Reflecting Studs   | each | 746  | 746   | 746  | 746   |

Handwritten signatures and initials in blue ink are present at the bottom of the page, including names like 'AA', 'ES', 'A', 'R', 'tu', and others.

| SL No.  | Description   | Unit | Unit Rate (Taka)                             |   |  |   |
|---|---|------|--|---|--|---|
|   |   |      | Zone-A<br>(Dhaka,<br>Mymensingh<br>Division) | Zone-B<br>(Chattogram,<br>Sylhet<br>Division) | Zone-C<br>(Rajshahi,<br>Rangpur<br>Division) | Zone-D<br>(Khulna,<br>Barishal<br>Division) |
| 1   | 2   | 3    | 4  | 5   | 6  | 7   |
| 316   | Platform for Load Test using Sand Bag Crib wall   | MT   | 231.71                                       | 231.71  | 231.71                                       | 231.71                                      |
| 317   | Platform for Load Test using Brick work Crib Wall including Land Development (Earth Excavation, Sand filling, Sub-base etc.) & pile head preparation.             | MT   | 218.66                                       | 218.66  | 218.66                                       | 218.66                                      |
| 318   | Platform for Load Test using CC Block Crib Wall including Land Development (Earth Excavation, Sand filling, PCC etc.) & pile head preparation.                    | MT   | 303.53                                       | 303.53  | 303.53                                       | 303.53                                      |
| 319   | Platform for Load Test using CC Block Crib Wall including Land Development (Earth Excavation, Sand filling, PCC, Bullah Palisading etc.) & pile head preparation. | MT   | 455.03                                       | 455.03  | 455.03                                       | 455.03                                      |
| 320   | Fibre reinforced repair mortar  | kg   | 150  | 150   | 150  | 150   |
| 321   | Adhesive for Fibre Reinforced Polymer (FRP) Laminate Strip  | kg   | 2360   | 2360  | 2360   | 2360  |
| 322   | Fibre reinforced Polymer (FRP) Laminate Strip   | m    | 6950   | 6950  | 6950   | 6950  |
| 323   | Epoxy Resin Saturant for Carbon Fibre Fabrics   | kg   | 2175   | 2175  | 2175   | 2175  |
| 324   | 25mm thick plywood  | sqm  | 1075   | 1075  | 1075   | 1075  |
| 325   | Hire & Running Charge of Sand Balsting Equipment  | day  | 600  | 600   | 600  | 600   |
| 326   | Pre-packed polymer concrete based on epoxy system complete with curing compount, initiator and promoter   | kg   | 270  | 270   | 270  | 270   |
| 327   | High Strength low alloy structural steel conforming to ASTM A 709M  | kg   | 120  | 120   | 120  | 120   |
| 328   | Fixing of Structural Bolt   | kg   | 12   | 12  | 12   | 12  |
| 329   | Hard drawn steel wire fabric (Weight > 7.75 kg/sqm)   | sqm  | 300  | 300   | 300  | 300   |
| 330   | Woven PVC Cloth   | sqm  | 30   | 30  | 30   | 30  |
| 331   | Corrosion resistant Hot-rolled Structural steel sections conforming to ASTM A 36  | each | 90   | 90  | 90   | 90  |
| 332   | Fabrication cost for Hot-Rolled Sections including the cost of electricity, LP gas, machinaries etc.  | each | 18   | 18  | 18   | 18  |
| 333   | Arc Type Rubber Fender of Length = 1000mm, Width = 606mm and Height = 400mm   | each | 275000                                       | 275000  | 275000                                       | 275000                                      |
| 334   | Arc Type Rubber Fender of Length = 1580mm, Width = 1400mm and Height = 840mm  | each | 375000                                       | 375000  | 375000                                       | 375000                                      |
| 335   | D-Type Rubber Fender of Length = 1000mm, Width = 300mm and Height = 300mm   | each | 41480  | 41480   | 41480  | 41480                                       |
| 336   | Wing Type Rubber Fender of Length = 1000mm, Width = 600mm and Height = 300mm  | each | 65000  | 65000   | 65000  | 65000                                       |
| 337   | Bottom Rubber Seal-U type (W=75mm, T=40mm)  | m    | 1300   | 1300  | 1300   | 1300  |
| 338   | Stopper/MS Seal (15mm X 19mm)   | kg   | 120  | 120   | 120  | 120   |
| 339   | High Strength Galvanized Nut-Bolt with Washer conforming to ASTM A 490M   | kg   | 400  | 400   | 400  | 400   |
| <b>5. Water Control Structure Related Works</b> |   |      |  |   |  |   |
| 340   | Threaded Shaft (D=63mm, L=6m)   | each | 15967.6                                      | 15967.6                                       | 15967.6                                      | 15967.6                                     |
| 341   | Bronze Lift nut (D=146mm, L=200mm)  | each | 12320  | 12320   | 12320  | 12320                                       |
| 342   | Bevel Gear (315 BHN Steel, D=306mm)   | each | 5832.2                                       | 5832.2  | 5832.2                                       | 5832.2                                      |

Handwritten signatures and initials in blue ink are present below the table, including names like 'S. K.', 'A.', 'S.', 'P.', 'M.', and 'R.'.

| SL No. | Description   | Unit | Unit Rate (Taka)                             |   |  |   |
|--------|---|------|--|---|--|---|
|        |   |      | Zone-A<br>(Dhaka,<br>Mymensingh<br>Division) | Zone-B<br>(Chattogram,<br>Sylhet<br>Division) | Zone-C<br>(Rajshahi,<br>Rangpur<br>Division) | Zone-D<br>(Khulna,<br>Barishal<br>Division) |
| 1      | 2   | 3    | 4  | 5   | 6  | 7   |
| 343    | Thrust Bearing out (D=184, BHN=625)                                     | each | 5170   | 5170  | 5170   | 5170  |
| 344    | MS Hex. Stop Nut (D=63mm)   | each | 1219.9                                       | 1219.9  | 1219.9                                       | 1219.9                                      |
| 345    | MS Bevel Pinion & Shaft (D=75mm, 15T)                                   | each | 3014   | 3014  | 3014   | 3014  |
| 346    | CI Spur Pinion (D=300mm, 60T)   | each | 4119.5                                       | 4119.5  | 4119.5                                       | 4119.5                                      |
| 347    | MS Spur Pinion ((D=300mm, 15T)  | each | 1631.3                                       | 1631.3  | 1631.3                                       | 1631.3                                      |
| 348    | CI Gear Cover (D=381mm, H=63mm)   | each | 2258.3                                       | 2258.3  | 2258.3                                       | 2258.3                                      |
| 349    | CI Bowl (D=419mm)   | each | 10963.7                                      | 10963.7                                       | 10963.7                                      | 10963.7                                     |
| 350    | Bronze Lock Washer (D=73mm, T=3mm)                                      | each | 231  | 231   | 231  | 231   |
| 351    | MS Crank  | each | 1432.2                                       | 1432.2  | 1432.2                                       | 1432.2                                      |
| 352    | MS Pedestal (D=200/250mm, L=760mm)                                      | each | 8913.3                                       | 8913.3  | 8913.3                                       | 8913.3                                      |
| 353    | CI Wall Bracket   | each | 2725.8                                       | 2725.8  | 2725.8                                       | 2725.8                                      |
| 354    | CI Hand Wheel out (D=760mm)   | each | 11203.5                                      | 11203.5                                       | 11203.5                                      | 11203.5                                     |
| 355    | CIB Cover Top (D=190, T=21, H=106mm)                                    | each | 6320.6                                       | 6320.6  | 6320.6                                       | 6320.6                                      |
| 356    | Bronze Lift Nut (D=105mm, H=222mm)                                      | each | 9240   | 9240  | 9240   | 9240  |
| 357    | MS Lift Screw (D=18, L=1825mm)  | each | 3637.7                                       | 3637.7  | 3637.7                                       | 3637.7                                      |
| 358    | MS Pedestal Welded (D=140mm, L=680mm, T=6mm)                            | each | 2887.5                                       | 2887.5  | 2887.5                                       | 2887.5                                      |
| 359    | CI Bearing Plate (D=267mm, T=20mm)                                      | each | 1647.8                                       | 1647.8  | 1647.8                                       | 1647.8                                      |
| 360    | Rubber Seal (W=75mm, T=12mm, B=25mm)                                    | m    | 947.1  | 947.1   | 947.1  | 947.1                                       |
| 361    | Nuts & Hinge Pin Hex. Head (ss, 25mmx150mm)                             | each | 1897.5                                       | 1897.5  | 1897.5                                       | 1897.5                                      |
| 362    | Caked Cement  | m3   | 1782   | 1782  | 1782   | 1782  |
| 363    | Straw Bundle  | each | 77   | 77  | 77   | 77  |
| 364    | Brush Wood Bundle   | each | 68.2   | 68.2  | 68.2   | 68.2  |
| 365    | 75mm diameter HDPE Sheathing Duct                                       | m    | 170  | 170   | 170  | 170   |
| 366    | 90mm diameter HDPE Sheathing Duct                                       | m    | 180  | 180   | 180  | 180   |
| 367    | 600mm uPVC Pipe   | m    | 9979.2                                       | 9979.2  | 9979.2                                       | 9979.2                                      |
| 368    | 900mm uPVC Pipe   | m    | 12474  | 12474   | 12474  | 12474                                       |
| 369    | Main Rubber Bag (10mm Thickness)  | sqm  | 18724.2                                      | 18724.2                                       | 18724.2                                      | 18724.2                                     |
| 370    | Main Rubber Bag (11mm Thickness)  | sqm  | 19231.3                                      | 19231.3                                       | 19231.3                                      | 19231.3                                     |
| 371    | Main Rubber Bag (12mm Thickness)  | sqm  | 19863.8                                      | 19863.8                                       | 19863.8                                      | 19863.8                                     |
| 372    | Main Rubber Bag (13mm Thickness)  | sqm  | 20622.8                                      | 20622.8                                       | 20622.8                                      | 20622.8                                     |
| 373    | Rubber Foam Sheet   | sqm  | 4984.6                                       | 4984.6  | 4984.6                                       | 4984.6                                      |
| 374    | Rubber Base Cover Sheet (8-10mm Thickness)                              | sqm  | 1964.5                                       | 1964.5  | 1964.5                                       | 1964.5                                      |
| 375    | Rubber Protect Sheet  | sqm  | 5902.4                                       | 5902.4  | 5902.4                                       | 5902.4                                      |
| 376    | Rubber Glue   | kg   | 519.4  | 519.4   | 519.4  | 519.4                                       |
| 377    | 1.54mm thick 16mm inner dia PVC pipe                                    | m    | 34   | 34  | 34   | 34  |
| 378    | 1.54mm thick 20mm inner dia PVC pipe                                    | m    | 47   | 47  | 47   | 47  |
| 379    | 100mm dia PVC pipe (3.4mm to 4.0mm thick of Aziz/Lira/National/Polymar) | m    | 265  | 265   | 265  | 265   |
| 380    | 160mm dia PVC Bend, wall thickness 2.5mm & 1.52m Length                 | each | 1120   | 1120  | 1120   | 1120  |
| 381    | 160mm dia PVC end Cap, wall thickness 2mm & 0.56m Length                | each | 540  | 540   | 540  | 540   |

Handwritten signatures and initials are present at the bottom of the page, including names like AD, A, and others.

| SL No. | Description  | Unit | Unit Rate (Taka)                             |   |  |   |
|--------|--|------|--|---|--|---|
|        |  |      | Zone-A<br>(Dhaka,<br>Mymensingh<br>Division) | Zone-B<br>(Chattogram,<br>Sylhet<br>Division) | Zone-C<br>(Rajshahi,<br>Rangpur<br>Division) | Zone-D<br>(Khulna,<br>Barishal<br>Division) |
| 1      | 2  | 3    | 4  | 5   | 6  | 7   |
| 382    | 180mm dia PVC Bend, wall thickness 2.8mm & 1.52m Length    | each | 1370   | 1370  | 1370   | 1370  |
| 383    | 180mm dia PVC end Cap, wall thickness 2.3mm & 0.56m Length | each | 615  | 615   | 615  | 615   |
| 384    | 2.5 to 3mm thick 12mm dia PVC pipe ('C' Class)             | m    | 32.5   | 32.5  | 32.5   | 32.5  |
| 385    | 2.5 to 3mm thick 20mm dia PVC pipe ('C' Class)             | m    | 39.5   | 39.5  | 39.5   | 39.5  |
| 386    | 2.5 to 3mm thick 25mm dia PVC pipe ('C' Class)             | m    | 68   | 68  | 68   | 68  |
| 387    | 2.5 to 3mm thick 40mm dia PVC pipe ('C' Class)             | m    | 103  | 103   | 103  | 103   |
| 388    | 200mm dia PVC Bend, wall thickness 3.2mm & 1.52m Length    | each | 1680   | 1680  | 1680   | 1680  |
| 389    | 200mm dia PVC end Cap, wall thickness 2.5mm & 0.56m Length | each | 680  | 680   | 680  | 680   |
| 390    | 200mm PVC pipe 12mm Thickness                              | m    | 2650   | 2650  | 2650   | 2650  |
| 391    | 225mm dia PVC Bend, wall thickness 3.5mm & 1.52m Length    | each | 2000   | 2000  | 2000   | 2000  |
| 392    | 225mm dia PVC end Cap, wall thickness 2.8mm & 0.56m Length | each | 890  | 890   | 890  | 890   |
| 393    | 250mm dia PVC Bend, wall thickness 3.9mm & 1.52m Length    | each | 2540   | 2540  | 2540   | 2540  |
| 394    | 250mm dia PVC end Cap, wall thickness 3.1mm & 0.56m Length | each | 990  | 990   | 990  | 990   |
| 395    | 280mm dia PVC Bend, wall thickness 4.4mm & 1.52m Length    | each | 3150   | 3150  | 3150   | 3150  |
| 396    | 280mm dia PVC end Cap, wall thickness 3.5mm & 0.56m Length | each | 1200   | 1200  | 1200   | 1200  |
| 397    | 3.4 to 4mm thick 100mm dia PVC 'B' class pipe              | m    | 330  | 330   | 330  | 330   |
| 398    | 3.66m long 50mm dia PVC pipe                               | each | 490  | 490   | 490  | 490   |
| 399    | 315mm dia PVC Bend, wall thickness 4.9mm & 1.52m Length    | each | 4150   | 4150  | 4150   | 4150  |
| 400    | 315mm dia PVC end Cap, wall thickness 4.0mm & 1.42m Length | each | 3075   | 3075  | 3075   | 3075  |
| 401    | 355mm dia PVC Bend, wall thickness 5.6mm & 1.52m Length    | each | 5200   | 5200  | 5200   | 5200  |
| 402    | 355mm dia PVC end Cap, wall thickness 4.4mm & 1.42m Length | each | 3950   | 3950  | 3950   | 3950  |
| 403    | 4.5 to 5.2mm thick 150mm dia PVC 'B' Class pipe            | m    | 530  | 530   | 530  | 530   |
| 404    | 400mm dia PVC Bend, wall thickness 6.3mm & 1.98m Length    | each | 7700   | 7700  | 7700   | 7700  |
| 405    | 400mm dia PVC end Cap, wall thickness 5.0mm & 1.42m Length | each | 4900   | 4900  | 4900   | 4900  |
| 406    | 450mm dia PVC Bend, wall thickness 7.0mm & 1.98m Length    | each | 9400   | 9400  | 9400   | 9400  |
| 407    | 450mm dia PVC end Cap, wall thickness 5.6mm & 1.42m Length | each | 6050   | 6050  | 6050   | 6050  |
| 408    | 5.3 to 6.1mm thick 200mm dia PVC 'B' Class pipe            | m    | 820  | 820   | 820  | 820   |
| 409    | 500mm dia PVC Bend, wall thickness 7.8mm & 1.98m Length    | each | 11400  | 11400   | 11400  | 11400                                       |
| 410    | 500mm dia PVC end Cap, wall thickness 6.2mm & 1.42m Length | each | 7450   | 7450  | 7450   | 7450  |

| SL No. | Description  | Unit | Unit Rate (Taka)                             |   |  |   |
|--------|--|------|--|---|--|---|
|        |  |      | Zone-A<br>(Dhaka,<br>Mymensingh<br>Division) | Zone-B<br>(Chattogram,<br>Sylhet<br>Division) | Zone-C<br>(Rajshahi,<br>Rangpur<br>Division) | Zone-D<br>(Khulna,<br>Barishal<br>Division) |
| 1      | 2  | 3    | 4  | 5   | 6  | 7   |
| 411    | 50mm PVC Pipe-2.5mm to 3mm wall thick  | m    | 125  | 125   | 125  | 125   |
| 412    | 75mm PVC Pipe -2.9mm to 3.4mm wall thick   | m    | 215  | 215   | 215  | 215   |
| 413    | PVC Pipe: External Dia 160mm & wall thickness 3.20mm                                   | m    | 540  | 540   | 540  | 540   |
| 414    | PVC Pipe: External Dia 180mm & wall thickness 3.60mm                                   | m    | 675  | 675   | 675  | 675   |
| 415    | PVC Pipe: External Dia 200mm & wall thickness 4.00mm                                   | m    | 800  | 800   | 800  | 800   |
| 416    | PVC Pipe: External Dia 225mm & wall thickness 4.40mm                                   | m    | 1200   | 1200  | 1200   | 1200  |
| 417    | PVC Pipe: External Dia 250mm & wall thickness 4.90mm                                   | m    | 1285   | 1285  | 1285   | 1285  |
| 418    | PVC Pipe: External Dia 280mm & wall thickness 4.90mm                                   | m    | 1575   | 1575  | 1575   | 1575  |
| 419    | PVC Pipe: External Dia 315mm & wall thickness 4.90mm                                   | m    | 2050   | 2050  | 2050   | 2050  |
| 420    | PVC Pipe: External Dia 355mm & wall thickness 5.60mm                                   | m    | 2575   | 2575  | 2575   | 2575  |
| 421    | PVC Pipe: External Dia 400mm & wall thickness 6.30mm                                   | m    | 3200   | 3200  | 3200   | 3200  |
| 422    | PVC Pipe: External Dia 450mm & wall thickness 7.00mm                                   | m    | 3900   | 3900  | 3900   | 3900  |
| 423    | PVC Pipe: External Dia 500mm & wall thickness 7.80mm                                   | m    | 4750   | 4750  | 4750   | 4750  |
| 424    | PVC T-Joints:160mmx160mmx160mm, Wall thickness 2.5mm&1.47 Length                       | each | 1490   | 1490  | 1490   | 1490  |
| 425    | PVC T-Joints:180mmx180mmx180mm, Wall thickness 2.8mm&1.47 Length                       | each | 1725   | 1725  | 1725   | 1725  |
| 426    | PVC T-Joints:200mmx200mmx200mm, Wall thickness 3.2mm&1.47 Length                       | each | 2000   | 2000  | 2000   | 2000  |
| 427    | PVC T-Joints:225mmx225mmx225mm, Wall thickness 3.50mm&1.47 Length                      | each | 2425   | 2425  | 2425   | 2425  |
| 428    | PVC T-Joints:250mmx250mmx250mm, Wall thickness 3.90mm&1.47 Length                      | each | 2975   | 2975  | 2975   | 2975  |
| 429    | PVC T-Joints:280mmx280mmx280mm, Wall thickness 4.4mm&1.47 Length                       | each | 3650   | 3650  | 3650   | 3650  |
| 430    | PVC T-Joints:315mmx315mmx315mm, Wall thickness 4.90mm&1.47 Length                      | each | 4590   | 4590  | 4590   | 4590  |
| 431    | PVC T-Joints:355mmx355mmx355mm, Wall thickness 5.6mm&1.98 Length                       | each | 7100   | 7100  | 7100   | 7100  |
| 432    | PVC T-Joints:400mmx400mmx400mm, Wall thickness 6.30mm&2.29Length                       | each | 9450   | 9450  | 9450   | 9450  |
| 433    | PVC T-Joints:450mmx450mmx450mm, Wall thickness 7.0mm&2.67Length                        | each | 12900  | 12900   | 12900  | 12900                                       |
| 434    | PVC T-Joints:500mmx500mmx500mm, Wall thickness 7.80mm&2.67Length                       | each | 15800  | 15800   | 15800  | 15800                                       |
| 435    | Fibre reinforced uPVC Lay-Flat hose,103mm dia wall thickness 1.40mm &weight 0.664 kg/m | m    | 193  | 193   | 193  | 193   |
| 436    | Fibre reinforced uPVC Lay-Flat hose,153mm dia wall thickness 2.0mm &weight 1.06 kg/m   | m    | 335  | 335   | 335  | 335   |

Handwritten signatures and initials in blue ink, including names like 'A', 'G', 'H', 'I', 'J', 'K', 'L', 'M', 'N', 'O', 'P', 'Q', 'R', 'S', 'T', 'U', 'V', 'W', 'X', 'Y', 'Z' and various scribbles.





| SL No. | Description                                      | Unit  | Unit Rate (Taka)                    |                                      |                                     |                                    |
|--------|--|-------|-------------------------------------|--------------------------------------|-------------------------------------|------------------------------------|
|        |  |       | Zone-A (Dhaka, Mymensingh Division) | Zone-B (Chattogram, Sylhet Division) | Zone-C (Rajshahi, Rangpur Division) | Zone-D (Khulna, Barishal Division) |
| 1      | 2  | 3     | 4                                   | 5                                    | 6                                   | 7                                  |
| 469    | MS flange for 355mm dia pipe                     | each  | 3118.5                              | 3118.5                               | 3118.5                              | 3118.5                             |
| 470    | MS flange for 400mm dia pipe                     | each  | 3696                                | 3696                                 | 3696                                | 3696                               |
| 471    | MS flange for 450mm dia pipe                     | each  | 4042.5                              | 4042.5                               | 4042.5                              | 4042.5                             |
| 472    | MS flange for 500mm dia pipe                     | each  | 4389                                | 4389                                 | 4389                                | 4389                               |
| 473    | 200mm dia drasser                                | no    | 4575                                | 4575                                 | 4575                                | 4575                               |
| 474    | 225mm dia drasser                                | no    | 4850                                | 4850                                 | 4850                                | 4850                               |
| 475    | 250mm dia drasser                                | no    | 5100                                | 5100                                 | 5100                                | 5100                               |
| 476    | 280mm dia drasser                                | no    | 5700                                | 5700                                 | 5700                                | 5700                               |
| 477    | 315mm dia drasser                                | no    | 6200                                | 6200                                 | 6200                                | 6200                               |
| 478    | 355mm dia drasser                                | no    | 6800                                | 6800                                 | 6800                                | 6800                               |
| 479    | 400mm dia drasser                                | no    | 7400                                | 7400                                 | 7400                                | 7400                               |
| 480    | 450mm dia drasser                                | no    | 7700                                | 7700                                 | 7700                                | 7700                               |
| 481    | 500mm dia drasser                                | no    | 8200                                | 8200                                 | 8200                                | 8200                               |
| 482    | Drasser (150mm dia.)                             | each  | 3950                                | 3950                                 | 3950                                | 3950                               |
| 483    | Rubber sheet (felt) 12 mm thick                  | sqm   | 2700                                | 2700                                 | 2700                                | 2700                               |
| 484    | Rubber sheet (felt) 25 mm thick                  | sqm   | 5500                                | 5500                                 | 5500                                | 5500                               |
| 485    | Rubber sheet 5.0mm thick                         | sqm   | 1130                                | 1130                                 | 1130                                | 1130                               |
| 486    | Toluine (Chemicals to liquify glue and Cleaning) | liter | 112                                 | 112                                  | 112                                 | 112                                |
| 487    | MS T-Joint (600mm X 450mm X 450mm)               | each  | 17613.2                             | 17613.2                              | 17613.2                             | 17613.2                            |
| 488    | MS Mala Bend (150mm dia.)                        | each  | 3234                                | 3234                                 | 3234                                | 3234                               |
| 489    | MS Mala Bend (200mm dia.)                        | each  | 4174.5                              | 4174.5                               | 4174.5                              | 4174.5                             |
| 490    | MS Perforated Foot Valve (150mm dia)             | each  | 5197.5                              | 5197.5                               | 5197.5                              | 5197.5                             |
| 491    | MS Perforated Foot Valve (200mm dia)             | each  | 6468                                | 6468                                 | 6468                                | 6468                               |
| 492    | First Aid Box                                    | each  | 3234                                | 3234                                 | 3234                                | 3234                               |
| 493    | Safety jacket                                    | each  | 1386                                | 1386                                 | 1386                                | 1386                               |
| 494    | Safety Shoe                                      | each  | 1732.5                              | 1732.5                               | 1732.5                              | 1732.5                             |
| 495    | Safety Helmate                                   | each  | 577.5                               | 577.5                                | 577.5                               | 577.5                              |
| 496    | HDPE Pipe:125mm outside dia                      | m     | 2973                                | 2973                                 | 2973                                | 2973                               |
| 497    | HDPE Pipe:140mm outside dia                      | m     | 3567                                | 3567                                 | 3567                                | 3567                               |
| 498    | HDPE Pipe:180mm outside dia                      | m     | 6119                                | 6119                                 | 6119                                | 6119                               |
| 499    | HDPE Pipe:225mm outside dia                      | m     | 9488                                | 9488                                 | 9488                                | 9488                               |
| 500    | HDPE Pipe:280mm outside dia                      | m     | 13047                               | 13047                                | 13047                               | 13047                              |
| 501    | HDPE Pipe:315mm outside dia                      | m     | 15322                               | 15322                                | 15322                               | 15322                              |
| 502    | HDPE Pipe:32mm outside dia                       | m     | 691                                 | 691                                  | 691                                 | 691                                |
| 503    | HDPE Pipe:355mm outside dia                      | m     | 17922                               | 17922                                | 17922                               | 17922                              |
| 504    | HDPE Pipe:400mm outside dia                      | m     | 20847                               | 20847                                | 20847                               | 20847                              |
| 505    | HDPE Pipe:40mm outside dia                       | m     | 864                                 | 864                                  | 864                                 | 864                                |
| 506    | HDPE Pipe:450mm outside dia                      | m     | 24097                               | 24097                                | 24097                               | 24097                              |
| 507    | HDPE Pipe:500mm outside dia                      | m     | 27347                               | 27347                                | 27347                               | 27347                              |
| 508    | HDPE Pipe:50mm outside dia                       | m     | 1080                                | 1080                                 | 1080                                | 1080                               |
| 509    | HDPE Pipe:63mm outside dia                       | m     | 1361                                | 1361                                 | 1361                                | 1361                               |
| 510    | HDPE Pipe:75mm outside dia                       | m     | 1620                                | 1620                                 | 1620                                | 1620                               |
| 511    | HDPE Pipe:90mm outside dia                       | m     | 1944                                | 1944                                 | 1944                                | 1944                               |

Handwritten signatures and initials in blue and black ink, including a large signature on the right and several smaller ones on the left.

| SL No.                             | Description  | Unit   | Unit Rate (Taka)                    |                                      |                                     |                                    |
|------------------------------------|--|--------|-------------------------------------|--------------------------------------|-------------------------------------|------------------------------------|
|                                    |  |        | Zone-A (Dhaka, Mymensingh Division) | Zone-B (Chattogram, Sylhet Division) | Zone-C (Rajshahi, Rangpur Division) | Zone-D (Khulna, Barishal Division) |
| 1                                  | 2  | 3      | 4                                   | 5                                    | 6                                   | 7                                  |
| <b>6. Termite Treatment Works</b>  |  |        |                                     |                                      |                                     |                                    |
| 512                                | Heptachlor - 40 WP   | kg     | 128.3                               | 128.3                                | 128.3                               | 128.3                              |
| 513                                | Anti-termite chemical (Heptachlor -40WP or Dursbane ZOEC or Pyrifox ZOEC)  | liter  | 629.9                               | 629.9                                | 629.9                               | 629.9                              |
| 514                                | Dieldrin   | ml     | 0.9                                 | 0.9                                  | 0.9                                 | 0.9                                |
| 515                                | Fumigant   | ml     | 1.2                                 | 1.2                                  | 1.2                                 | 1.2                                |
| 516                                | Timberin (1 bottle of 500 ml)  | bottle | 594                                 | 594                                  | 594                                 | 594                                |
| 517                                | Brush  | each   | 39.2                                | 39.2                                 | 39.2                                | 39.2                               |
| 518                                | Anti-termite treatment Chemicals Pestearthly   | kg     | 1837                                | 1837                                 | 1837                                | 1837                               |
| 519                                | Flow-switch 150 mm dia   | set    | 22550                               | 22550                                | 22550                               | 22550                              |
| 520                                | Beam Smoke Detector  | set    | 148500                              | 148500                               | 148500                              | 148500                             |
| 521                                | Emergency lock for Fire Door   | set    | 8250                                | 8250                                 | 8250                                | 8250                               |
| 522                                | Water closet with seat cover and flushing unit, Size: 380x750x810 mm (COTO-Farah C118 or Equivalent)   | set    | 15389                               | 15389                                | 15389                               | 15389                              |
| 523                                | Fire Door Release Button   | set    | 1485                                | 1485                                 | 1485                                | 1485                               |
| 524                                | 600mm dia best quality heavy type CI manhole cover with locking arrangement  | each   | 2849                                | 2849                                 | 2849                                | 2849                               |
| <b>7. Furniture &amp; Fixtures</b> |  |        |                                     |                                      |                                     |                                    |
| 525                                | High bench of size 1.125x0.35x0.6m of best quality seasoned wood (Jack /Chittagong sil korai / Gamari/ chittagong teak and structures made of steel angle), painting, varnishing etc. all complete | each   | 3300                                | 3300                                 | 3300                                | 3300                               |
| 526                                | Low bench of size 1.35x0.25x0.375m of best quality seasoned wood (Jack/ Chittagong sil korai/Gamari/Chittagong teak and structures made of steel angle), painting, varnishing etc. all complete    | each   | 2970                                | 2970                                 | 2970                                | 2970                               |
| 527                                | Teacher's table of 0.675x0.375x0.763m best quality seasoned wood (Jack/Chittagong/Gamari/Chittagong teak and structures made of steel angle), painting, varnishing etc. all complete               | each   | 4070                                | 4070                                 | 4070                                | 4070                               |
| 528                                | Teacher's chair of 0.45x0.4x0.425m of best quality seasoned wood (Jack/Chittagong/Gamari/Chittagong teak and structures made of steel angle), painting, varnishing etc. all complete               | each   | 4070                                | 4070                                 | 4070                                | 4070                               |
| 529                                | Steel Almirah of 1.8x0.9x0.675m size made of 18 BWG MS sheet at front and two parallel sides and 20 BWG MS sheet at back side including painting, varnishing etc. all complete                     | each   | 21219                               | 21219                                | 21219                               | 21219                              |
| 530                                | Cot (2.13x1.07m) of jack wood including varnishing all finishing etc.  | each   | 17050                               | 17050                                | 17050                               | 17050                              |
| 531                                | Table (1.08x0.76m) of jack wood including all varnishing finishing etc.  | each   | 9900                                | 9900                                 | 9900                                | 9900                               |
| 532                                | Tea table (standard size) of jack wood including all varnishing finishing etc.   | each   | 3300                                | 3300                                 | 3300                                | 3300                               |
| 533                                | Secretariat Table (1.52x1.07x0.76m) of chittagong teak wood including all varnishing finishing etc.  | each   | 22000                               | 22000                                | 22000                               | 22000                              |

Handwritten signatures and initials in blue ink are present at the bottom of the page, including names like 'Dr.', 'A.', 'H.', 'S.', 'S.', 'S.', and 'M.'.

| SL No. | Description  | Unit | Unit Rate (Taka)                             |   |  |  |
|--------|--|------|--|---|--|--|
|        |  |      | Zone-A<br>(Dhaka,<br>Mymensingh<br>Division) | Zone-B<br>(Chattogram,<br>Sylhet<br>Division) | Zone-C<br>(Rajshahi,<br>Rangpur<br>Division) | Zone-D<br>(Khulna,<br>Barisal<br>Division) |
| 1      | 2  | 3    | 4  | 5   | 6  | 7  |
| 534    | Dressing Table of Chittagong teak wood including Belgium mirror (1.08x0.41m) including all varnishing, finishing etc.  | each | 12650  | 12650   | 12650  | 12650                                      |
| 535    | Dining Table of chittagong teak wood (1.83x0.96x0.76m) in/c all varnishing, finishing etc.   | each | 22000  | 22000   | 22000  | 22000                                      |
| 536    | Cushioned chair of jack wood (standard size) in/c all varnishing, finishing etc.   | each | 6600   | 6600  | 6600   | 6600                                       |
| 537    | Easy chair of jack wood (standard size) in/c all varnishing, finishing etc.  | each | 12000  | 12000   | 12000  | 12000                                      |
| 538    | Armed Chair of jack wood (standard size) in/c all varnishing, finishing etc.   | each | 6050   | 6050  | 6050   | 6050                                       |
| 539    | Armed Less Chair of jack wood (standard size) in/c all varnishing, finishing etc.  | each | 550  | 550   | 550  | 550  |
| 540    | Dress Stand of jack wood (standard size) in/c all varnishing, finishing etc.   | each | 3000   | 3000  | 3000   | 3000                                       |
| 541    | Dress Stand with coat rack one side of jack wood (standard size) in/c all varnishing, finishing etc.   | each | 3100   | 3100  | 3100   | 3100                                       |
| 542    | Almirah of chittagong teak wood (1.52x1.07x0.46m) with in/c 4 shelves all varnishing, finishing etc.   | each | 23000  | 23000   | 23000  | 23000                                      |
| 543    | Almirah of chittagong teak wood (1.52x1.07x 0.46m) in/c glass front ,all varnishing, finishing etc.  | each | 23500  | 23500   | 23500  | 23500                                      |
| 544    | Steel Almirah of (1.83x0.91x0.61m) size made of BWG MS sheet at front and two parallel sides and 20 BWG MS sheet at back side including all painting, finishing etc. | each | 21219  | 21219   | 21219  | 21219                                      |
| 545    | Steel File Cabinet (1.37x0.46x0.61m) with 4 drawers made of 18 BWG steel sheet in/c all painting, finishing etc.   | each | 14509  | 14509   | 14509  | 14509                                      |
| 546    | Steel Chest of Drawer (1.37x1.22x0.53m) with 4 shelves made of 18 BWG steel sheet in/c all painting, finishing etc.  | each | 23859  | 23859   | 23859  | 23859                                      |
| 547    | Whatnot (1.22x0.38x0.91m) with 3 shelves made of jack wood in/c all varnishing, finishing etc.   | each | 5800   | 5800  | 5800   | 5800                                       |
| 548    | Wood Box (1.22x0.91x0.76m) made of jack wood in/c all varnishing, finishing etc.   | each | 3500   | 3500  | 3500   | 3500                                       |
| 549    | Multipurpose shelf beech colour (size :1200Lx400Dx1800Hmm) of HSM 0380 or equivalent   | each | 13717  | 13717   | 13717  | 13717                                      |
| 550    | Multipurpose shelf beech colour (size 800Lx400Dx1800Hmm) of HSM 0381 or equivalent   | each | 10000  | 10000   | 10000  | 10000                                      |
| 551    | Multipurpose shelf beech colour (size :600Lx300Dx1800Hmm) of HSM 0387 or equivalent  | each | 8000   | 8000  | 8000   | 8000                                       |
| 552    | Computer Table (size :1100Lx600Dx750Hmm) of TCCP001LB or equivalent  | each | 10747  | 10747   | 10747  | 10747                                      |
| 553    | Computer Table (size 1000Lx500Dx750Hmm) of FTC 0661 or equivalent  | each | 7000   | 7000  | 7000   | 7000                                       |
| 554    | Computer Table (size :800Lx500Dx1400Hmm) of TCCP007LB or equivalent  | each | 8800   | 8800  | 8800   | 8800                                       |

Handwritten signatures and initials in blue ink, including names like 'AA', 'S', 'RHS', 'SAL', and 'Maha'.

| SL No. | Description  | Unit | Unit Rate (Taka)                    |                                      |                                     |                                    |
|--------|--|------|-------------------------------------|--------------------------------------|-------------------------------------|------------------------------------|
|        |  |      | Zone-A (Dhaka, Mymensingh Division) | Zone-B (Chattogram, Sylhet Division) | Zone-C (Rajshahi, Rangpur Division) | Zone-D (Khulna, Barishal Division) |
| 1      | 2  | 3    | 4                                   | 5                                    | 6                                   | 7                                  |
| 555    | Computer Table (size 600Lx480Dx750Hmm) of FTC 0660 or equivalent               | each | 4200                                | 4200                                 | 4200                                | 4200                               |
| 556    | Steel Almirah 915Wx483Dx1929H mm size of FAE4201 or equivalent                 | each | 27000                               | 27000                                | 27000                               | 27000                              |
| 557    | Steel File Cabinet 4 drawer 476Dx620Wx1390H mm size of FCOP003MS or equivalent | each | 23199                               | 23199                                | 23199                               | 23199                              |
| 558    | Steel File Cabinet 3 drawer 476Dx620Wx1070H mm size of FCT 4230 or equivalent  | each | 17149                               | 17149                                | 17149                               | 17149                              |
| 559    | Steel File Cabinet 2 drawer 476Dx620Wx746H mm size of FCD 4230 or equivalent   | each | 14000                               | 14000                                | 14000                               | 14000                              |
| 560    | Armless chair standard normal of FCF 2307 LR or equivalent                     | each | 2500                                | 2500                                 | 2500                                | 2500                               |
| 561    | Armless chair standard medium of FCF 2308 LR or equivalent                     | each | 3800                                | 3800                                 | 3800                                | 3800                               |
| 562    | Armless chair standard fancy light of CFVP001 or equivalent                    | each | 4400                                | 4400                                 | 4400                                | 4400                               |
| 563    | Armed chair standard normal of FCF 2305/CFVP011 or equivalent                  | each | 4642                                | 4642                                 | 4642                                | 4642                               |
| 564    | Armed chair standard medium of FCF 2303/2304 or equivalent                     | each | 5000                                | 5000                                 | 5000                                | 5000                               |
| 565    | Armed chair standard fancy light of FCF 2301/CFVP005 or equivalent             | each | 5280                                | 5280                                 | 5280                                | 5280                               |
| 566    | Official Table LB (Size : 1600LX850WX750Hmm) of FTL0560 or equivalent          | each | 10000                               | 10000                                | 10000                               | 10000                              |
| 567    | Official Table LB (Size : 1600LX800WX750Hmm) of FTL0562 or equivalent          | each | 9400                                | 9400                                 | 9400                                | 9400                               |
| 568    | Official Table LB (Size : 1600LX800WX750Hmm) of FTL0561 or equivalent          | each | 8800                                | 8800                                 | 8800                                | 8800                               |
| 569    | Official Table LB (Size : 1400LX800WX750Hmm) of FTM0560 or equivalent          | each | 8800                                | 8800                                 | 8800                                | 8800                               |
| 570    | Official Table LB (Size : 1400LX750WX750Hmm) of FTM0562 or equivalent          | each | 8300                                | 8300                                 | 8300                                | 8300                               |
| 571    | Official Table LB (Size : 1200LX750WX750Hmm) of FTN0560 or equivalent          | each | 8000                                | 8000                                 | 8000                                | 8000                               |
| 572    | Official Table LB (Size : 1200LX750WX750Hmm) of FTN0562 or equivalent          | each | 7000                                | 7000                                 | 7000                                | 7000                               |
| 573    | Senior Official Table LB (Size :1800LX1000WX750Hmm) of FTM0552 or equivalent   | each | 20000                               | 20000                                | 20000                               | 20000                              |
| 574    | Senior Official Table LB (Size :1600LX900WX 750Hmm) of TEOP005LB or equivalent | each | 21000                               | 21000                                | 21000                               | 21000                              |
| 575    | Senior Official Table LB(Size :1600LX850WX750Hmm) of FTM0553 or equivalent     | each | 12400                               | 12400                                | 12400                               | 12400                              |
| 576    | Senior Official Table MDF (Size :1800LX900WX750Hmm) of FTM1301LB or equivalent | each | 40000                               | 40000                                | 40000                               | 40000                              |
| 577    | Senior Official Table MDF/EW (Size :1800LX1830WX 750Hmm) of TMOP022LB          | each | 27000                               | 27000                                | 27000                               | 27000                              |
| 578    | Armed chair standard fancy heavy of FCF 2302 or equivalent                     | each | 6200                                | 6200                                 | 6200                                | 6200                               |
| 579    | Swivel Chair without handle of FCJ 2262 or equivalent                          | each | 5500                                | 5500                                 | 5500                                | 5500                               |

| SL No. | Description  | Unit | Unit Rate (Taka)                    |                                      |                                     |                                    |
|--------|--|------|-------------------------------------|--------------------------------------|-------------------------------------|------------------------------------|
|        |  |      | Zone-A (Dhaka, Mymensingh Division) | Zone-B (Chattogram, Sylhet Division) | Zone-C (Rajshahi, Rangpur Division) | Zone-D (Khulna, Barishal Division) |
| 1      | 2  | 3    | 4                                   | 5                                    | 6                                   | 7                                  |
| 580    | Swivel Chair normal back with handle of FCJ 2261 or equivalent                                       | each | 6500                                | 6500                                 | 6500                                | 6500                               |
| 581    | Swivel Chair medium back with handle of FCN 2209/2210 or equivalent                                  | each | 10900                               | 10900                                | 10900                               | 10900                              |
| 582    | Swivel Chair high back with handle of FCH 2209 or equivalent   | each | 12700                               | 12700                                | 12700                               | 12700                              |
| 583    | Swivel Chair high back with handle (semi-executive type) of FCM 2215/FCH 2208/FCH 2214 or equivalent | each | 13200                               | 13200                                | 13200                               | 13200                              |
| 584    | Swivel Chair high back with handle (executive type) of FCH 2200 or equivalent                        | each | 31300                               | 31300                                | 31300                               | 31300                              |
| 585    | Three Drawer unit without wheel (size : 400Wx470Dx650H) of FDZ0611 or equivalent                     | each | 5850                                | 5850                                 | 5850                                | 5850                               |
| 586    | Three Drawer unit with wheel (size : 400Wx470Dx705H) of FDZ0610                                      | each | 6200                                | 6200                                 | 6200                                | 6200                               |

Handwritten notes and signatures below the table:

- Initials: *or*, *ds.*, *AA*, *AS*, *RRS*, *Amr*, *sh*, *RA*
- Large signature: *Amr*

| SL No. | Description   | Unit | Unit Rate (Taka)                             |   |  |   |
|--------|---|------|--|---|--|---|
|        |   |      | Zone-A<br>(Dhaka,<br>Mymensingh<br>Division) | Zone-B<br>(Chattogram,<br>Sylhet<br>Division) | Zone-C<br>(Rajshahi,<br>Rangpur<br>Division) | Zone-D<br>(Khulna,<br>Barishal<br>Division) |
| 1      | 2   | 3    | 4  | 5   | 6  | 7   |
| 587    | Conference Table- Corner LB (size: 625Lx625Wx750Hmm) of FCM 0580 or equivalent  | each | 4500   | 4500  | 4500   | 4500  |
| 588    | Conference Table- Short Middle LB (size: 600Lx600Wx750Hmm)- FCM 0581 or equivalent  | each | 4500   | 4500  | 4500   | 4500  |
| 589    | Conference Table- Long Middle LB (size: 1200Lx600Wx750Hmm) of FCM 0582 or equivalent  | each | 6700   | 6700  | 6700   | 6700  |
| 590    | Conference Table- Long Middle LB (size: 1400Lx600Wx750Hmm) of FCM 0583 or equivalent  | each | 7200   | 7200  | 7200   | 7200  |
| 591    | Conference Table- Long Middle LB (size: 1600Lx600Wx750Hmm) of FCM 0584  | each | 8000   | 8000  | 8000   | 8000  |
| 592    | Side Rack : 900Wx400Dx750H mm size of FCB 0651 or   | each | 6750   | 6750  | 6750   | 6750  |
| 593    | Side Rack : 750Wx400Dx750H mm size of FCB 0652 or   | each | 6050   | 6050  | 6050   | 6050  |
| 594    | Slotted Angle Rack (size : 1200Lx600Dx1800H mm size) of SROP002MS or equivalent   | each | 24200  | 24200   | 24200  | 24200                                       |
| 595    | Slotted Angle Rack (size : 1145Lx300Dx 1830H mm size) of FRS 4251 or equivalent   | each | 15300  | 15300   | 15300  | 15300                                       |
| 596    | Combined Plastic High Bench with Book shelf: Size : 1.450m-(L)x0.425m(W)x0.730m(H) and Low Bench: Size : 1.395m-(L)x0.305m(W)x0.380m(H) | set  | 9150   | 9150  | 9150   | 9150  |
| 597    | Polypropylene Impact Copolymer Plastic Table : Size : - 838mm(L) x 533mm(W) x 775m Table Top: Dimen 838mm(L) x 533mm(W) x 25mm(T).      | each | 6300   | 6300  | 6300   | 6300  |
| 598    | Polypropylene Impact Copolymer Plastic Chair, Size:550mm(L)x515mm(W)x850m (H).  | each | 1700   | 1700  | 1700   | 1700  |
| 599    | Official Table LB (Size : 1600LX800WX750Hmm) of FTL0563 or equivalent   | each | 8800   | 8800  | 8800   | 8800  |
| 600    | Official Table LB (Size : 1400LX750WX750Hmm) of FTM0561 or equivalent   | each | 7500   | 7500  | 7500   | 7500  |
| 601    | Official Table LB (Size : 1400LX750WX750Hmm) of FTM0563 or equivalent   | each | 7000   | 7000  | 7000   | 7000  |
| 602    | Official Table LB (Size : 1200LX700WX750Hmm) of TPOPO01LB or equivalent   | each | 15200  | 15200   | 15200  | 15200                                       |
| 603    | Official Table LB (Size : 1200LX700WX750Hmm) of FTN0561 or equivalent   | each | 8800   | 8800  | 8800   | 8800  |
| 604    | Official Table LB (Size : 1200LX700WX750Hmm) of FTN0563 or equivalent   | each | 6300   | 6300  | 6300   | 6300  |
| 605    | Official Table LB (Size : 1000LX600WX750Hmm) of FTS0563 or equivalent   | each | 5400   | 5400  | 5400   | 5400  |
| 606    | Senior Official Table LB (Size :1800LX1800WX750Hmm) of TMOP008LB or equivalent  | each | 36600  | 36600   | 36600  | 36600                                       |
| 607    | Senior Official Table LB (Size :1800LX800W X750Hmm) of TMOP004LB or equivalent  | each | 33800  | 33800   | 33800  | 33800                                       |
| 608    | Senior Official Table LB (Size :1800LX1800WX750Hmm) of TMOP019LB or equivalent  | each | 24700  | 24700   | 24700  | 24700                                       |
| 609    | Senior Official Table LB (Size :1800LX1700WX750Hmm) of TMOP006LB  | each | 32950  | 32950   | 32950  | 32950                                       |

Handwritten signatures and initials in blue ink, including names like 'Ankur', 'AA', 'AS', 'R', 'S', and '2'.

| Sl No. | Description  | Unit | Unit Rate (Taka)                             |   |  |   |
|--------|--|------|--|---|--|---|
|        |  |      | Zone-A<br>(Dhaka,<br>Mymensingh<br>Division) | Zone-B<br>(Chattogram,<br>Sylhet<br>Division) | Zone-C<br>(Rajshahi,<br>Rangpur<br>Division) | Zone-D<br>(Khulna,<br>Barishal<br>Division) |
| 1      | 2  | 3    | 4  | 5   | 6  | 7   |
| 610    | Senior Official Table LB (Size :1800LX900WX750Hmm) of FTM0550LB              | each | 10800  | 10800   | 10800  | 10800                                       |
| 611    | Senior Official Table LB (Size : 1650LX800WX750Hmm) of FTM6001 or equivalent | each | 32000  | 32000   | 32000  | 32000                                       |

*[Handwritten signatures and initials in blue and black ink, including a large signature at the bottom right.]*

| SL No. | Description   | Unit | Unit Rate (Taka)                             |   |  |   |
|--------|---|------|--|---|--|---|
|        |   |      | Zone-A<br>(Dhaka,<br>Mymensingh<br>Division) | Zone-B<br>(Chattogram,<br>Sylhet<br>Division) | Zone-C<br>(Rajshahi,<br>Rangpur<br>Division) | Zone-D<br>(Khulna,<br>Barishal<br>Division) |
| 1      | 2   | 3    | 4  | 5   | 6  | 7   |
| 612    | Senior Official Table LB (Size :1600LX750W X750Hmm) of FTM6002 or equivalent                  | each | 27400  | 27400   | 27400  | 27400                                       |
| 613    | Senior Official Table LB (Size : 1600LX750WX750Hmm) of TEOP022LB or equivalent                | each | 13600  | 13600   | 13600  | 13600                                       |
| 614    | Senior Official Table LB (Size : 1400LX750WX750Hmm) of TEOP012LB or equivalent                | each | 19700  | 19700   | 19700  | 19700                                       |
| 615    | Senior Official Table LB (Size :1400LX750W X 750Hmm) of TPOP001LB or equivalent               | each | 15200  | 15200   | 15200  | 15200                                       |
| 616    | Senior Official Table MDF/EW (Size :2438LX1907WX750Hmm) of TMOP016WD or equivalent            | each | 84900  | 84900   | 84900  | 84900                                       |
| 617    | Senior Official Table MDF/EW (Size :2386LX1059WX750Hmm) of TMOP020WD or equivalent            | each | 102000                                       | 102000  | 102000                                       | 102000                                      |
| 618    | Senior officials Table-MDF/EW (Size: 1800Lx2175Wx750H mm) of HPL-500-125-2-1-67 or equivalent | each | 61204  | 61204   | 61204  | 61204                                       |
| 619    | Senior Official Table MDF/EW (Size :2150LX900WX750Hmm) of FTM1303 or equivalent               | each | 47500  | 47500   | 47500  | 47500                                       |
| 620    | Senior officials Table-MDF/EW (Size: 1800Lx1800Wx750H mm) of HPL-500-128-2-1-88 or equivalent | each | 64500  | 64500   | 64500  | 64500                                       |
| 621    | Senior officials Table-MDF/EW (Size: 1800Lx1700Wx750H mm) of TMOP018WD                        | each | 57500  | 57500   | 57500  | 57500                                       |
| 622    | Senior Official Table MDF/EW (Size :1400LX800WX750Hmm) of FTM1304 or equivalent               | each | 25000  | 25000   | 25000  | 25000                                       |
| 623    | Swivel Chair without handle of CSEP154 or equivalent  | each | 7000   | 7000  | 7000   | 7000  |
| 624    | Swivel Chair without handle of CSEP009 or equivalent  | each | 6500   | 6500  | 6500   | 6500  |
| 625    | Swivel Chair normal back with handle of CSEP002 or equivalent                                 | each | 8300   | 8300  | 8300   | 8300  |
| 626    | Swivel Chair medium back with handle of CSSP001/CSEP061 or equivalent                         | each | 10700  | 10700   | 10700  | 10700                                       |
| 627    | Swivel Chair medium back with handle of FCM 2211 or equivalent                                | each | 10000  | 10000   | 10000  | 10000                                       |
| 628    | Swivel Chair medium back with handle of FCM 2209/2210 or equivalent                           | each | 11200  | 11200   | 11200  | 11200                                       |
| 629    | Swivel Chair high back with handle (semi-executive type) of CSPP004                           | each | 16000  | 16000   | 16000  | 16000                                       |
| 630    | Swivel Chair high back with handle (executive type) of CSPP002 or equivalent                  | each | 31500  | 31500   | 31500  | 31500                                       |
| 631    | Class Room Chair with bottom metal netting basket of FCC 2353 or equivalent                   | each | 8200   | 8200  | 8200   | 8200  |
| 632    | Class Room Chair with bottom metal netting basket of HPL-508-203-10-1-00 or equivalent        | each | 5500   | 5500  | 5500   | 5500  |
| 633    | Class Room Chair seat and back foam covering without basket of FCC 2351 or equivalent         | each | 4400   | 4400  | 4400   | 4400  |

Handwritten signatures and initials in blue ink, including names like 'Rafiq', 'AA', 'S', 'M', 'K', and 'Mukh'.



| SL No. | Description  | Unit | Unit Rate (Taka)                             |   |  |   |
|--------|--|------|--|---|--|---|
|        |  |      | Zone-A<br>(Dhaka,<br>Mymensingh<br>Division) | Zone-B<br>(Chattogram,<br>Sylhet<br>Division) | Zone-C<br>(Rajshahi,<br>Rangpur<br>Division) | Zone-D<br>(Khulna,<br>Barishal<br>Division) |
| 1      | 2  | 3    | 4  | 5   | 6  | 7   |
| 634    | Class Room Chair without basket of FCC 2352 or equivalent  | each | 4200   | 4200  | 4200   | 4200  |
| 635    | MS three seated group chair (size :1430Lx700WX890Hmm) of FCT 4274 or equivalent  | each | 17250  | 17250   | 17250  | 17250                                       |
| 636    | Plastic three seated group chair (size :1430-1320Lx700-500WX890-800Hmm) of CFWP003 or equivalent                                 | each | 12250  | 12250   | 12250  | 12250                                       |
| 637    | Plastic three seated group chair with MS box seat and back frame (size :1430-1320Lx700-500WX890-800Hmm) of CFWP004 or equivalent | each | 8500   | 8500  | 8500   | 8500  |
| 638    | Wooden three seated group chair (size :1320Lx500WX800Hmm) of FCT 4270 or equivalent  | each | 10800  | 10800   | 10800  | 10800                                       |
| 639    | Plastic three seated group chair (size :1430-1320Lx700-500WX890-800Hmm) of CFWP007 or equivalent                                 | each | 14800  | 14800   | 14800  | 14800                                       |
| 640    | Three Drawer unit without wheel (size : 400Wx470Dx650H) of FDZ0620 or equivalent   | each | 5700   | 5700  | 5700   | 5700  |
| 641    | Three Drawer unit with wheel (size : 400Wx470Dx705H) of FDZ0619 or equivalent  | each | 5900   | 5900  | 5900   | 5900  |
| 642    | Two Drawer unit with wheel (size : 400Wx470Dx705H) of FDZ0617 or equivalent  | each | 4500   | 4500  | 4500   | 4500  |
| 643    | Two Drawer unit without wheel (size : 400Wx470Dx650H) of FDZ0618 or equivalent   | each | 4300   | 4300  | 4300   | 4300  |
| 644    | Armed chair standard normal of CFVE003 or equivalent   | each | 3500   | 3500  | 3500   | 3500  |
| 645    | Armed chair standard normal of FCF 2313 or equivalent  | each | 4600   | 4600  | 4600   | 4600  |
| 646    | Armed chair standard fancy heavy of CFVP006/007 or   | each | 6500   | 6500  | 6500   | 6500  |
| 647    | Armed chair standard fancy heavy of FCV 2207/CFVP008 or equivalent   | each | 8500   | 8500  | 8500   | 8500  |
| 648    | Armed chair standard fancy heavy of FCV 2209/2210 or   | each | 9200   | 9200  | 9200   | 9200  |
| 649    | Armed chair standard fancy heavy of CFVP053 or equivalent  | each | 9200   | 9200  | 9200   | 9200  |
| 650    | Armed chair standard fancy heavy of FCV 2204 or equivalent   | each | 10000  | 10000   | 10000  | 10000                                       |
| 651    | Armed chair standard fancy heavy of CFVP012 or equivalent  | each | 10800  | 10800   | 10800  | 10800                                       |
| 652    | Armless chair standard normal of CFVE002 or equivalent   | each | 2200   | 2200  | 2200   | 2200  |
| 653    | Armless chair standard normal of FCF 2307 FF or equivalent   | each | 2750   | 2750  | 2750   | 2750  |
| 654    | Armless chair standard normal of CFVE005/006 or equivalent   | each | 2800   | 2800  | 2800   | 2800  |
| 655    | Armless chair standard medium of FCF 2308 FF or equivalent   | each | 4300   | 4300  | 4300   | 4300  |
| 656    | Armless chair standard fancy thick Plastic seat and back of CFVP057 or equivalent  | each | 4800   | 4800  | 4800   | 4800  |
| 657    | Armless chair standard fancy light of CFVP010 or equivalent  | each | 5200   | 5200  | 5200   | 5200  |

Handwritten signatures and initials in blue ink are present at the bottom of the page, including names like 'AA', 'RHS', 'S', 'L', 'M', 'P', and 'Amber'.

| SL No. | Description   | Unit | Unit Rate (Taka)                    |                                      |                                     |                                    |
|--------|---|------|-------------------------------------|--------------------------------------|-------------------------------------|------------------------------------|
|        |   |      | Zone-A (Dhaka, Mymensingh Division) | Zone-B (Chattogram, Sylhet Division) | Zone-C (Rajshahi, Rangpur Division) | Zone-D (Khulna, Barishal Division) |
| 1      | 2   | 3    | 4                                   | 5                                    | 6                                   | 7                                  |
| 658    | Armless chair standard fancy light of CFVP030 or equivalent                         | each | 6200                                | 6200                                 | 6200                                | 6200                               |
| 659    | Multipurpose shelf beech colour (size :800x350Dx1800Hmm) of HSM 0386 or equivalent  | each | 9200                                | 9200                                 | 9200                                | 9200                               |
| 660    | Multipurpose shelf beech colour (size : 600x350Dx1800Hmm) of HSM 0382 or equivalent | each | 8400                                | 8400                                 | 8400                                | 8400                               |
| 661    | Computer Table (size :1200x600Dx750Hmm) of TEOB002LB or equivalent                  | each | 10000                               | 10000                                | 10000                               | 10000                              |
| 662    | Computer Table (size :910x450Dx750Hmm) of SROP007LB or equivalent                   | each | 8000                                | 8000                                 | 8000                                | 8000                               |
| 663    | Computer Table (size :1050x450Dx700Hmm) of TCCP001LB or equivalent                  | each | 9600                                | 9600                                 | 9600                                | 9600                               |
| 664    | Single Bed 2036Lx1080Wx750Hmm size of BSDB003LB or equivalent                       | each | 14800                               | 14800                                | 14800                               | 14800                              |
| 665    | Double Bed 2042Lx1540Wx845Hmm size of BDDB019LB or equivalent                       | each | 20000                               | 20000                                | 20000                               | 20000                              |
| 666    | Double Bed 2050Lx1668Wx700Hmm size of BDDB007LB or equivalent                       | each | 21800                               | 21800                                | 21800                               | 21800                              |
| 667    | Single Bed 2036Lx1080Wx750Hmm size of BSDP009WD or equivalent                       | each | 32300                               | 32300                                | 32300                               | 32300                              |
| 668    | Double Bed 2050Lx1540Wx800Hmm size of BDDP050WD or equivalent                       | each | 35500                               | 35500                                | 35500                               | 35500                              |
| 669    | Double Bed 2084Lx1600Wx1050Hmm size of BDDP089WD or equivalent                      | each | 51200                               | 51200                                | 51200                               | 51200                              |
| 670    | Double Bed 2084Lx1600Wx1050Hmm size of AFL-BED-150 or equivalent                    | each | 58000                               | 58000                                | 58000                               | 58000                              |
| 671    | Double Bed 2084Lx1540Wx1050Hmm size of AFL-BED-150 or equivalent                    | each | 53000                               | 53000                                | 53000                               | 53000                              |
| 672    | Single mattress 2000x1000 size with minimum 100mm thick or equivalent               | each | 11000                               | 11000                                | 11000                               | 11000                              |
| 673    | Single mattress 2000x1000 size with minimum 200mm thick or equivalent               | each | 16500                               | 16500                                | 16500                               | 16500                              |
| 674    | Double mattress 2000x1600 size with minimum 100mm thick or equivalent               | each | 15000                               | 15000                                | 15000                               | 15000                              |
| 675    | Double mattress 2000x1600 size with minimum 200mm thick or equivalent               | each | 19500                               | 19500                                | 19500                               | 19500                              |
| 676    | Single seated Sofa of SSCP006FR or equivalent                                       | each | 8500                                | 8500                                 | 8500                                | 8500                               |
| 677    | Single seated Sofa of SSCP012LR or equivalent                                       | each | 18000                               | 18000                                | 18000                               | 18000                              |
| 678    | Single seated Sofa of SSCP094FF or equivalent                                       | each | 26000                               | 26000                                | 26000                               | 26000                              |
| 679    | Double seated Sofa of SDCP006FR or equivalent                                       | each | 16000                               | 16000                                | 16000                               | 16000                              |
| 680    | Double seated Sofa of STCP007LR or equivalent                                       | each | 40000                               | 40000                                | 40000                               | 40000                              |
| 681    | Double seated Sofa of SDCP047FF or equivalent                                       | each | 42000                               | 42000                                | 42000                               | 42000                              |
| 682    | Wooden Single seated Sofa of SSCE009FF or equivalent                                | each | 15000                               | 15000                                | 15000                               | 15000                              |
| 683    | Wooden Double seated Sofa of SDCE003FF or equivalent                                | each | 24500                               | 24500                                | 24500                               | 24500                              |
| 684    | Wooden Center Table of CTCE009WD or equivalent                                      | each | 8000                                | 8000                                 | 8000                                | 8000                               |
| 685    | Wooden Center Table of CTCE008WD or equivalent                                      | each | 7000                                | 7000                                 | 7000                                | 7000                               |
| 686    | Wooden Center Table of CTCP049WD or equivalent                                      | each | 8500                                | 8500                                 | 8500                                | 8500                               |

Handwritten signatures and initials in blue ink, including a large signature on the right and several smaller ones scattered across the bottom of the page.

| SL No. | Description  | Unit | Unit Rate (Taka)                             |   |  |   |
|--------|--|------|--|---|--|---|
|        |  |      | Zone-A<br>(Dhaka,<br>Mymensingh<br>Division) | Zone-B<br>(Chattogram,<br>Sylhet<br>Division) | Zone-C<br>(Rajshahi,<br>Rangpur<br>Division) | Zone-D<br>(Khulna,<br>Barishal<br>Division) |
| 1      | 2  | 3    | 4  | 5   | 6  | 7   |
| 687    | Wooden Dining Table (size : 1524Lx915Wx750H) of TDDP018WD or equivalent  | each | 28000  | 28000   | 28000  | 28000                                       |
| 688    | Wooden Dining Table (size : 1650Lx950Wx750H) of TDDP049WD or equivalent  | each | 30800  | 30800   | 30800  | 30800                                       |
| 689    | Wooden Dining Table (size : 1520Lx912Wx744H) of TDDP012MF or equivalent  | each | 32500  | 32500   | 32500  | 32500                                       |
| 690    | Wooden Dining Table (size : 1650-1524Lx950-915Wx750-744H) of AFL-DNT/DNC-119 or equivalent                                   | each | 60000  | 60000   | 60000  | 60000                                       |
| 691    | Wooden Dining Chair (size : 596Lx586Wx1025Hmm) of CFDP013LR or equivalent  | each | 5500   | 5500  | 5500   | 5500  |
| 692    | Wooden Dining Chair (size : 440Lx522Wx950Hmm) of CFDP049WD or equivalent   | each | 7000   | 7000  | 7000   | 7000  |
| 693    | Wooden Dining Chair (size : 410Lx475W x 895Hmm) of FCDB002FR or equivalent   | each | 6000   | 6000  | 6000   | 6000  |
| 694    | Wooden Dining Chair (size : 410Lx475Wx895Hmm) of AFL-DNT/DNC-119 or equivalent   | each | 14200  | 14200   | 14200  | 14200                                       |
| 695    | Round shaped Dining Table (size : 1600Lx910Wx730Hmm) of TDDP001LB or equivalent  | each | 13000  | 13000   | 13000  | 13000                                       |
| 696    | 4 Drawer Wooden Wardrobe (size: 830Lx515Wx1220Hmm) of CDDP018ED or equivalent  | each | 34000  | 34000   | 34000  | 34000                                       |
| 697    | 2 Drawer and bottom side box Wooden Wardrobe (size: 830Lx515Wx1220Hmm) of WDDP011ED/EDDP010WD or equivalent                  | each | 30000  | 30000   | 30000  | 30000                                       |
| 698    | 4 Drawer and right side box Laminated Melamine Board (LB) Wardrobe (size: 1210L x 525W x 1214Hmm) of WDDP005LB or equivalent | each | 25000  | 25000   | 25000  | 25000                                       |
| 699    | 4 Drawer Laminated Melamine Board (LB) Wardrobe (size: 806Lx503Wx1006Hmm) of CDDB002KLB or equivalent                        | each | 15000  | 15000   | 15000  | 15000                                       |

Handwritten signatures and initials in blue ink, including names like 'A', 'B', 'C', 'D', 'E', 'F', 'G', 'H', 'I', 'J', 'K', 'L', 'M', 'N', 'O', 'P', 'Q', 'R', 'S', 'T', 'U', 'V', 'W', 'X', 'Y', 'Z', and various initials and marks.

| SL No.                         | Description   | Unit | Unit Rate (Taka)                    |                                      |                                     |                                    |
|--------------------------------|---|------|-------------------------------------|--------------------------------------|-------------------------------------|------------------------------------|
|                                |   |      | Zone-A (Dhaka, Mymensingh Division) | Zone-B (Chattogram, Sylhet Division) | Zone-C (Rajshahi, Rangpur Division) | Zone-D (Khulna, Barishal Division) |
| 1                              | 2   | 3    | 4                                   | 5                                    | 6                                   | 7                                  |
| <b>B. Laboratory Test Fee</b>  |   |      |                                     |                                      |                                     |                                    |
| <b>A. Cement</b>               |   |      |                                     |                                      |                                     |                                    |
| 700                            | Normal Consistency  | Each | 300                                 | 300                                  | 300                                 | 300                                |
| 701                            | Setting Time  | Each | 700                                 | 700                                  | 700                                 | 700                                |
| 702                            | Compressive Strength (3,7,28 days) (Each days Set comprises with 3 cubes) | Set  | 1200                                | 1200                                 | 1200                                | 1200                               |
| 703                            | Fineness by Sieve   | Each | 500                                 | 500                                  | 500                                 | 500                                |
| 704                            | Fineness (Blaine Air)   | Each | 2000                                | 2000                                 | 2000                                | 2000                               |
| <b>B. Aggregate</b>            |   |      |                                     |                                      |                                     |                                    |
| 705                            | Sieve analysis of Coarse Aggregate  | Each | 400                                 | 400                                  | 400                                 | 400                                |
| 706                            | Sieve analysis of Fine Aggregate  | Each | 400                                 | 400                                  | 400                                 | 400                                |
| 707                            | Materials Finer than Sieve no. 200 by Washing                             | Each | 400                                 | 400                                  | 400                                 | 400                                |
| 708                            | Unit weight   | Each | 400                                 | 400                                  | 400                                 | 400                                |
| 709                            | Absorption of Coarse Aggregate  | Each | 300                                 | 300                                  | 300                                 | 300                                |
| 710                            | Sp Gravity  | Each | 600                                 | 600                                  | 600                                 | 600                                |
| 711                            | Los Angles Abrasion   | Each | 1000                                | 1000                                 | 1000                                | 1000                               |
| 712                            | Ten Percent Fines value (TFV)   | Each | 1800                                | 1800                                 | 1800                                | 1800                               |
| 713                            | Aggregate Crushing Value  | Each | 900                                 | 900                                  | 900                                 | 900                                |
| 714                            | Aggregate Impact Value  | Each | 600                                 | 600                                  | 600                                 | 600                                |
| 715                            | CBR of Coarse Aggregate (Excluding MDD)                                   | Each | 8000                                | 8000                                 | 8000                                | 8000                               |
| 716                            | CBR of Fine Aggregate (Excluding MDD)                                     | Each | 7000                                | 7000                                 | 7000                                | 7000                               |
| 717                            | DCP Test  | Each | 200                                 | 200                                  | 200                                 | 200                                |
| 718                            | Standard Proctor Test   | Each | 1500                                | 1500                                 | 1500                                | 1500                               |
| 719                            | Modified Proctor Test   | Each | 1800                                | 1800                                 | 1800                                | 1800                               |
| 720                            | Field Density by Sand Cone Method   | Each | 800                                 | 800                                  | 800                                 | 800                                |
| 721                            | Field Density by Core-Cutter Method                                       | Each | 400                                 | 400                                  | 400                                 | 400                                |
| 722                            | Voids Ratio   | Each | 300                                 | 300                                  | 300                                 | 300                                |
| 723                            | Soundness of Aggregate  | Each | 2000                                | 2000                                 | 2000                                | 2000                               |
| 724                            | Elongation Index ( EI )   | Each | 300                                 | 300                                  | 300                                 | 300                                |
| 725                            | Flakiness Index ( FI )  | Each | 200                                 | 200                                  | 200                                 | 200                                |
| 726                            | Moisture Content  | Each | 100                                 | 100                                  | 100                                 | 100                                |
| <b>C. Brick</b>                |   |      |                                     |                                      |                                     |                                    |
| 727                            | Compressive Strength (5 Nos)  | Set  | 1400                                | 1400                                 | 1400                                | 1400                               |
| 728                            | Water Absorption (6 Nos)  | Set  | 1000                                | 1000                                 | 1000                                | 1000                               |
| 729                            | Size & Shape (24Nos)  | Set  | 300                                 | 300                                  | 300                                 | 300                                |
| 730                            | Weight (5Nos)   | Set  | 200                                 | 200                                  | 200                                 | 200                                |
| 731                            | Efflorescence (10 Nos)  | Set  | 300                                 | 300                                  | 300                                 | 300                                |
| <b>D. Unblock/Paving Block</b> |   |      |                                     |                                      |                                     |                                    |
| 732                            | Compressive Strength (3 Specimen)   | Set  | 2500                                | 2500                                 | 2500                                | 2500                               |
| 733                            | Unit weight (3 Specimen)  | Set  | 1500                                | 1500                                 | 1500                                | 1500                               |
| 734                            | Water Absorption (3 Specimen)   | Set  | 1000                                | 1000                                 | 1000                                | 1000                               |

Handwritten signatures and initials in black and blue ink are present below the table. Some signatures are circled in blue ink.

| SL No.                              | Description   | Unit | Unit Rate (Taka)                    |                                      |                                     |                                    |
|-------------------------------------|---|------|-------------------------------------|--------------------------------------|-------------------------------------|------------------------------------|
|                                     |   |      | Zone-A (Dhaka, Mymensingh Division) | Zone-B (Chattogram, Sylhet Division) | Zone-C (Rajshahi, Rangpur Division) | Zone-D (Khulna, Barishal Division) |
| 1                                   | 2   | 3    | 4                                   | 5                                    | 6                                   | 7                                  |
| <b>E. Admixture</b>                 |   |      |                                     |                                      |                                     |                                    |
| 735                                 | Specific Gravity  | Each | 1000                                | 1000                                 | 1000                                | 1000                               |
| 736                                 | Dry Residue   | Each | 1000                                | 1000                                 | 1000                                | 1000                               |
| 737                                 | Concrete Strength   | Each | 10000                               | 10000                                | 10000                               | 10000                              |
| <b>F. Bentonite/Drilling Slurry</b> |   |      |                                     |                                      |                                     |                                    |
| 738                                 | Liquid Limit  | Each | 1000                                | 1000                                 | 1000                                | 1000                               |
| 739                                 | Time Viscosity  | Each | 500                                 | 500                                  | 500                                 | 500                                |
| 740                                 | Mixing Ratio (In/c. Viscosity & Sp. Gravity)                              | Each | 2000                                | 2000                                 | 2000                                | 2000                               |
| 741                                 | Sand Content  | Each | 500                                 | 500                                  | 500                                 | 500                                |
| <b>G. Concrete</b>                  |   |      |                                     |                                      |                                     |                                    |
| 742                                 | Compressive Strength Cylinder (Each set comprises with 3 specimen)        | Set  | 600                                 | 600                                  | 600                                 | 600                                |
| 743                                 | Compressive Strength of Cube (Each set comprises with 3 specimen)         | Set  | 400                                 | 400                                  | 400                                 | 400                                |
| 744                                 | Concrete Cylinder Casting & Testing (Each set comprises with 3 specimen)  | Set  | 700                                 | 700                                  | 700                                 | 700                                |
| 745                                 | Concrete Cube Casting & Testing (Each set comprises with 3 specimen)      | Set  | 600                                 | 600                                  | 600                                 | 600                                |
| 746                                 | Slump test  | Each | 150                                 | 150                                  | 150                                 | 150                                |
| 747                                 | Design of Concrete Mixes  | Each | 10000                               | 10000                                | 10000                               | 10000                              |
| 748                                 | Impact of Hammer Test   | Each | 1000                                | 1000                                 | 1000                                | 1000                               |
| Core Cutter                         |   |      |                                     |                                      |                                     |                                    |
| 749                                 | i) Cutting & Testing  | Each | 5000                                | 5000                                 | 5000                                | 5000                               |
| 750                                 | ii) Transportation TK.500/day+  | km   | 15                                  | 15                                   | 15                                  | 15                                 |
| <b>H. Bitumen</b>                   |   |      |                                     |                                      |                                     |                                    |
| 751                                 | Softening Point (R& B)  | Each | 1000                                | 1000                                 | 1000                                | 1000                               |
| 752                                 | Specific Gravity  | Each | 1000                                | 1000                                 | 1000                                | 1000                               |
| 753                                 | Flash & fire point  | Each | 1000                                | 1000                                 | 1000                                | 1000                               |
| 754                                 | Loss-on-heating test  | Each | 1000                                | 1000                                 | 1000                                | 1000                               |
| 755                                 | Standard Penetration  | Each | 1000                                | 1000                                 | 1000                                | 1000                               |
| 756                                 | Ductility   | Each | 3000                                | 3000                                 | 3000                                | 3000                               |
| 757                                 | Job Mix Design (Marshal Method) including maximum specific gravity of mix | Each | 60000                               | 60000                                | 60000                               | 60000                              |
| Core cutter                         |   |      |                                     |                                      |                                     |                                    |
| 758                                 | i) Cutting  | Each | 2000                                | 2000                                 | 2000                                | 2000                               |
| 759                                 | ii) Transportation Tk. 500/day+   | km   | 15                                  | 15                                   | 15                                  | 15                                 |
| Bituminous material Test            |   |      |                                     |                                      |                                     |                                    |
| 760                                 | i) Sample Preparation (Each set comprises with 3 specimen.)               | Set  | 5000                                | 5000                                 | 5000                                | 5000                               |
| 761                                 | ii) Stability & Flow  | Set  | 3000                                | 3000                                 | 3000                                | 3000                               |
| 762                                 | iii) Asphalt Mix Design   | Each | 6000                                | 6000                                 | 6000                                | 6000                               |
| 763                                 | Bitumen Extraction  | Each | 1500                                | 1500                                 | 1500                                | 1500                               |

Handwritten signatures and initials in blue ink are present below the table.

| SL No. | Description  | Unit | Unit Rate (Taka)                             |   |  |   |
|--------|--|------|--|---|--|---|
|        |  |      | Zone-A<br>(Dhaka,<br>Mymensingh<br>Division) | Zone-B<br>(Chattogram,<br>Sylhet<br>Division) | Zone-C<br>(Rajshahi,<br>Rangpur<br>Division) | Zone-D<br>(Khulna,<br>Barishal<br>Division) |
| 1      | 2  | 3    | 4  | 5   | 6  | 7   |
|        | <b>I. Soil</b>   |      |  |   |  |   |
| 764    | Sand equivalent test                                       | Each | 2500   |   |  |   |
| 765    | Consolidation test   | Each | 3000   | 3000  | 3000   | 3000  |
| 766    | Field Vane Shear Test for cohesive Soil                    | Each | 1500   | 1500  | 1500   | 1500  |
|        | Direct Shear test  |      |  |   |  |   |
| 767    | i) Unconsolidated Untrained                                | Each | 1500   | 1500  | 1500   | 1500  |
| 768    | ii) Consolidated Untrained                                 | Each | 1600   | 1600  | 1600   | 1600  |
| 769    | iii) Consolidated Drained                                  | Each | 2500   | 2500  | 2500   | 2500  |
|        | Triaxial Shear Test  |      |  |   |  |   |
| 770    | i) Unconsolidated Undrained                                | Each | 1500   | 1500  | 1500   | 1500  |
| 771    | ii) Consolidated Undrained                                 | Each | 2500   | 2500  | 2500   | 2500  |
| 772    | iii) Consolidated Undrained without pore pressure          | Each | 1500   | 1500  | 1500   | 1500  |
| 773    | iv) Consolidated Drained                                   | Each | 3500   | 3500  | 3500   | 3500  |
|        | Permeability   |      |  |   |  |   |
| 774    | i) Cohesive  | Each | 2000   | 2000  | 2000   | 2000  |
| 775    | i) Non -Cohesive   | Each | 1000   | 1000  | 1000   | 1000  |
|        | <b>J. Reinforcement</b>                                    |      |  |   |  |   |
| 776    | Tensile Strength (Bar dia up to 19mm)                      | Set  | 1000   | 1000  | 1000   | 1000  |
| 777    | Tensile Strength (Bar dia > 19mm - 40mm)                   | Set  | 1200   | 1200  | 1200   | 1200  |
| 778    | Bend (Bar dia up to 19mm)                                  | Set  | 200  | 200   | 200  | 200   |
| 779    | Bend (Bar dia > 19mm - 40mm)                               | Set  | 300  | 300   | 300  | 300   |
|        | <b>K. Miscellaneous</b>                                    |      |  |   |  |   |
| 780    | Calibration of Hydraulic Jack without Pressure Gauge       | Each | 10000  | 10000   | 10000  | 10000                                       |
| 781    | Calibration of Deflection dial                             | Each | 1000   | 1000  | 1000   | 1000  |
| 782    | Calibration of Compression Testing Machine                 | Each | 5000   | 5000  | 5000   | 5000  |
| 783    | Calibration of Proving Ring                                | Each | 3000   | 3000  | 3000   | 3000  |
|        | Bearing Pad  |      |  |   |  |   |
| 784    | i) Hardness  | Each | 1500   | 1500  | 1500   | 1500  |
| 785    | ii) Compression Set  | Each | 4000   | 4000  | 4000   | 4000  |
| 786    | iii) Ash Content   | Each | 2500   | 2500  | 2500   | 2500  |
| 787    | iv) Short Duration Compression                             | Each | 3500   | 3500  | 3500   | 3500  |
| 788    | v) Long Duration Compression                               | Each | 7000   | 7000  | 7000   | 7000  |
| 789    | vi) Vulcanized Bond test(ASTM D-429) Method-B              | Each | 4000   | 4000  | 4000   | 4000  |
| 790    | vii) Test of shear Modulus(ASTM D-4014)                    | Each | 4000   | 4000  | 4000   | 4000  |
| 791    | viii) No. and Thickness of Elastomer layer and steel plate | Each | 1500   | 1500  | 1500   | 1500  |

N.B.: Test fee deductible from contractor's bill as applicable.

*[Handwritten signatures and initials in blue ink, including names like 'Ankur', 'AS', 'An', and various initials.]*

**SPECIAL NOTE: ADDED RATE FOR INACCESSIBLE AREAS**

| Category   | Upazilla/area                           | District    | Added % rate |
|--|---|-------------|--------------|
| <b>A</b><br>(Accessibility with moderate difficulty) | Lama                                    | Bandarban   | 5%           |
|  | AliKadam                                |             |              |
|  | Naikhyongchari                          |             |              |
| <b>B</b><br>(Accessibility with high difficulty)     | Rowangchari                             | Bandarban   | 10%          |
|  | Ruma                                    |             |              |
|  | Thanchi                                 |             |              |
|  | Barkal                                  | Rangamati   |              |
|  | Juraichari                              |             |              |
|  | Belaichari                              |             |              |
|  | Langadu                                 |             |              |
|  | Baghaichari                             | Noakhali    |              |
|  | Hatiya                                  |             |              |
|  | Moheskhal                               | Cox's Bazar |              |
|  | Kutubdia                                |             |              |
| Sandwip  | Chattogram                              |             |              |
| <b>C</b><br>(Accessibility with extreme difficulty)  | Saint Martin's Island (Teknaf Upazilla) | Cox's Bazar | 15%          |

Handwritten signatures and initials in blue ink, including 'AA', 'A', 'B', 'C', and various scribbles, located below the table.